



CVE-1999-0322

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-1999-0322
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	1997-10-29 05:00:00 UTC
Updated	2008-09-09 12:34:00 UTC
Description	The open() function in FreeBSD allows local attackers to write to arbitrary files.

Risk And Classification

Problem Types: NVD-CWE-Other

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	Freebsd	Freebsd	2.1.0	All	All	All
Operating System	Freebsd	Freebsd	2.2	All	All	All
Operating System	Freebsd	Freebsd	2.1.0	All	All	All
Operating System	Freebsd	Freebsd	2.2	All	All	All

References

Reference	Source	Link	Tags
6092	OSVDB	www.osvdb.org	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)