



CVE-2000-1158

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF !\[\]\(e3f8612927870f2e0f9f5989e6dd3064_img.jpg\)](#)

Summary

CVE	CVE-2000-1158
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	2001-01-09 05:00:00 UTC
Updated	2008-09-05 20:22:00 UTC
Description	NAI Sniffer Agent uses base64 encoding for authentication, which allows attackers to sniff the network and easily decrypt u

Risk And Classification

Problem Types: NVD-CWE-Other

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Network Associates	Sniffer Agent	3.0.10	All	All	All
Application	Network Associates	Sniffer Agent	3.0.10	All	All	All

References

Reference

Neohapsis Archives - Bugtraq - Remotely exploitable buffer overflow in NAI's Distributed Sniffer Agent - From kevin_start@HUSHMAIL.COM

[CVE Program record](#)

[NVD vulnerability detail](#)

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)