



CVE-2003-1225

Published on: 12/31/2003 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:28:44 PM UTC

CVE-2003-1225

[Source: Mitre](#)

[Source: NIST](#)

[CVE.ORG](#)

[Print: PDF](#)



Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

The default CredentialMapper for BEA WebLogic Server and Express 7.0 and 7.0.0.1 stores passwords in cleartext on disk, which allows local users to extract passwords.

CVE-2003-1225 has been assigned by [M](#) [cve@mitre.org](#) to track the vulnerability

CVSS2 Score: **2.1 - LOW**

Access Vector

LOCAL

Access Complexity

LOW

Authentication

NONE

Confidentiality Impact

PARTIAL

Integrity Impact

NONE

Availability Impact

NONE

CVE References

Description

Tags

Link

BEA Systems WebLogic Multiple Password Storage Vulnerabilities

[Patch](#)

[cve.report \(archive\)](#)

[text/html](#)

[🌐 BID 7563](#)

Patch available to prevent clear-text passwords

[dev2dev.bea.com](#)

[text/html](#)

[🔗 BEA BEA03-30.00](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](#).

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All

Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1*:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID→](#)