



CVE-2004-1757

Published on: 12/31/2004 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:28:10 PM UTC

CVE-2004-1757

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and Express 8.1, SP1 and earlier, stores the administrator password in cleartext in config.xml, which allows local users to gain privileges.

CVE-2004-1757 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **4.6 - MEDIUM**

Access
Vector

LOCAL

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

PARTIAL

Integrity
Impact

PARTIAL

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

Advisories & Notifications

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[CONFIRM](#)
[dev2dev.bea.com/resource/library/advisoriesnotifications/BEA04_50.00.jsp](#)

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](#)
[text/html](#)

[XF weblogic-boot-password-disclosure\(14957\)](#)

Secunia - Advisories - BEA
WebLogic Administrative
Password Exposure
Vulnerability

[Patch](#)
[web.archive.org](#)
[text/html](#)

[SECUNIA 10728](#)

BEA WebLogic Operator/Admin
Password Disclosure
Vulnerability

[Patch](#)
[cve.report \(archive\)](#)
[text/html](#)

[BID 9501](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All

Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All

Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp1:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:****.*.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:****.*.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:****.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****.*.*.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:****.*.*.*:

cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*****:

cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:

cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*:*:*:*:

No vendor comments have been submitted for this CVE

← Previous ID

Next ID →

© [CVE.report](#) 2023  |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)