



CVE-2004-1758

Published on: 04/13/2004 04:00:00 AM UTC

Last Modified on: 03/23/2021 11:28:09 PM UTC

CVE-2004-1758

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and WebLogic Express version 8.1 up to SP2, 7.0 up to SP4, and 6.1 up to SP6 may store the database username and password for an untargeted JDBC connection pool in plaintext in config.xml, which allows local users to gain privileges.

CVE-2004-1758 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **4.6 - MEDIUM**

Access
Vector

LOCAL

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

PARTIAL

Integrity
Impact

PARTIAL

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

Secunia - Advisories - BEA
WebLogic Database Password
Stored in Plain Text Issue

[web.archive.org](#)
[text/html](#)

[X](#) SECUNIA 11357

BEA WebLogic May Disclose
Database Password Via
'config.xml' For Untargeted
JDBC Connection Pools -
SecurityTracker

[securitytracker.com](#)
[text/html](#)

[G](#) SECTrack 1009764

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](#)
[text/html](#)

[X](#) XF bea-configxml-plaintext-password(15860)

Advisories & Notifications

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[O](#) CONFIRM
[dev2dev.bea.com/resourcelibrary/advisoriesnotifications/BEA04_53.00.jsp](#)

BEA WebLogic Server/Express
Potential Password Disclosure
Weakness

[Patch](#)
[Vendor Advisory](#)
[cve.report \(archive\)](#)
[text/html](#)

 [BID 10131](#)

No Description Provided

[www.osvdb.org](#)

 [OSVDB 5297](#)

[Inactive Link](#) [Not Archived](#)

US-CERT Vulnerability Note
VU#920238

[Patch](#)
[Third Party Advisory](#)
[US Government Resource](#)
[www.kb.cert.org](#)
[text/html](#)

 [CERT-VN VU#920238](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All

Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All

Application	Vendor	Product	Version	Architecture	Operating System	Platform
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
cpe:2.3:a:bea:weblogic_server:6.1:****:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:****:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:****:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:****:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:****:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:****:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:****:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*****:

cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:

cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:****:*
cpe:2.3:a:bea:weblogic_server:8.1:sp2:****:*
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:****:*
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:****:*

No vendor comments have been submitted for this CVE

← Previous ID

Next ID→