



CVE-2005-1747

Published on: 05/24/2005 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:24 PM UTC


CVE-2005-1747

Source: [Mitre](#)

Source: [NIST](#)

[CVE.ORG](#)

Print: [PDF](#)



Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

Multiple cross-site scripting (XSS) vulnerabilities in BEA WebLogic Server and Express 8.1 through Service Pack 4, and 7.0 through Service Pack 6, allow remote attackers to inject arbitrary web script or HTML, and possibly gain administrative privileges, via the (1) `j_username` or (2) `j_password` parameters in the login page

(LoginForm.jsp), (3) parameters to the error page in the Administration Console, (4) unknown vectors in the Server Console while the administrator has an active session to obtain the ADMINCONSOLESESSION cookie, or (5) an alternate vector in the Server Console that does not require an active session but also leaks the username and password.

CVE-2005-1747 has been assigned by [M](#) `cve@mitre.org` to track the vulnerability

CVSS2 Score: **6.8 - MEDIUM**

Access
Vector

Access
Complexity

Authentication

NETWORK

MEDIUM

NONE

Confidentiality
Impact

Integrity
Impact

Availability
Impact

PARTIAL

PARTIAL

PARTIAL

CVE References

Description

Tags

Link

Secunia - Advisories - BEA WebLogic Multiple Vulnerabilities

[Vendor Advisory](#)
[web.archive.org](#)
[text/html](#)

[X SECUNIA 15486](#)

Application Security Inc. - Securing Business by Securing Enterprise Applications

[www.appsecinc.com](#)
[text/html](#)

[MISC](#)
[www.appsecinc.com/resources/alerts/general/BEA-001.html](#)

'ACROS Security: HTML Injection in BEA WebLogic Server Console (1)' - MARC

[marc.info](#)
[text/html](#)

[BUGTRAQ 20050524 ACROS Security: HTML Injection in BEA WebLogic Server Console \(1\)](#)

BEA WebLogic Server and WebLogic Express Multiple Remote Vulnerabilities	cve.report (archive) text/html	BID 13717
	www.acrossecurity.com text/plain	MISC www.acrossecurity.com/aspr/ASPR-2005-05-24-2-PUB.txt
	www.acrossecurity.com text/plain	MISC www.acrossecurity.com/aspr/ASPR-2005-05-24-1-PUB.txt
Application Security Inc. - Securing Business by Securing Enterprise Applications	www.appsecinc.com text/html	MISC www.appsecinc.com/resources/alerts/general/BEA-002.html
Patches available to prevent multiple cross-site scripting (XSS) vulnerabilities	Vendor Advisory dev2dev.bea.com text/html	BEA BEA05-80.00
No Description Provided	marc.info text/html	BUGTRAQ 20050527 [AppSecInc Advisory BEA05-V0100] BEA WebLogic Administration Console error page cross-site scripting vulnerability
'ACROS Security: HTML Injection in BEA WebLogic Server Console (2)' - MARC	marc.info text/html	BUGTRAQ 20050524 ACROS Security: HTML Injection in BEA WebLogic Server Console (2)
No Description Provided	marc.info text/html	BUGTRAQ 20050527 [AppSecInc Advisory BEA05-V0101] BEA WebLogic Administration Console login page cross-site scripting vulnerability
Webmail : Solution de messagerie professionnelle - OVHcloud- OVH	www.vupen.com text/html	VUPEN ADV-2005-0607
SecurityTracker.com Archives - BEA WebLogic Server and WebLogic Portal Have Multiple Vulnerabilities	securitytracker.com text/html	SECTRAK 1014049
By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.		

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.0	All	All	All
Application	Bea	Weblogic Server	6.0	All	express	All
Application	Bea	Weblogic Server	6.0	All	win32	All
Application	Bea	Weblogic Server	6.0	sp1	All	All
Application	Bea	Weblogic Server	6.0	sp1	express	All
Application	Bea	Weblogic Server	6.0	sp1	win32	All
Application	Bea	Weblogic Server	6.0	sp2	All	All
Application	Bea	Weblogic Server	6.0	sp2	express	All
Application	Bea	Weblogic Server	6.0	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All

Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All

Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	6.0	All	All	All
Application	Bea	Weblogic Server	6.0	All	express	All
Application	Bea	Weblogic Server	6.0	All	win32	All
Application	Bea	Weblogic Server	6.0	sp1	All	All
Application	Bea	Weblogic Server	6.0	sp1	express	All
Application	Bea	Weblogic Server	6.0	sp1	win32	All

Application	Bea	Weblogic Server	6.0	sp1	win32	All
Application	Bea	Weblogic Server	6.0	sp2	All	All
Application	Bea	Weblogic Server	6.0	sp2	express	All
Application	Bea	Weblogic Server	6.0	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All

Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Oracle	Weblogic Portal	8.0	All	All	All

Application	Oracle	Weblogic Portal	8.0	All	All	All
cpe:2.3:a:bea:weblogic_server:6.0:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:****:

cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.0:*****:
cpe:2.3:a:bea:weblogic_server:6.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:6.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*****:

cpe:2.3:a:bea:weblogic_server:6.1.*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.*:*:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.*:*:*:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp1:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp2:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp3:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp4:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp4:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp5:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp5:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp5:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp6:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1.sp6:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.*:*:*:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.*:*:*:*:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp1:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp2:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0.sp2:win32:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:

