



CVE-2005-1748

Published on: 05/24/2005 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:24 PM UTC

CVE-2005-1748

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

The embedded LDAP server in BEA WebLogic Server and Express 8.1 through Service Pack 4, and 7.0 through Service Pack 5, allows remote anonymous binds, which may allow remote attackers to view user entries or cause a denial of service.

CVE-2005-1748 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **5 - MEDIUM**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

NONE

Integrity
Impact

NONE

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

Secunia - Advisories - BEA WebLogic Multiple Vulnerabilities

[Vendor Advisory](#)
[web.archive.org](#)
[text/html](#)

[X](#) [SECUNIA 15486](#)

Anonymous binds to the embedded LDAP server are allowed.

[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[BEA](#) [BEA05-81.00](#)

BEA WebLogic Server and WebLogic Express Multiple Remote Vulnerabilities

[cve.report \(archive\)](#)
[text/html](#)

[BID 13717](#)

Webmail : Solution de messagerie professionnelle - OVHcloud- OVH

[www.vupen.com](#)
[text/html](#)

[VUPEN ADV-2005-0608](#)

SecurityTracker.com Archives - BEA WebLogic Server and WebLogic Portal Have Multiple Vulnerabilities

[securitytracker.com](#)
[text/html](#)

[SECTRAK 1014049](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.0	All	All	All
Application	Bea	Weblogic Server	6.0	All	express	All
Application	Bea	Weblogic Server	6.0	All	win32	All
Application	Bea	Weblogic Server	6.0	sp1	All	All
Application	Bea	Weblogic Server	6.0	sp1	express	All
Application	Bea	Weblogic Server	6.0	sp1	win32	All
Application	Bea	Weblogic Server	6.0	sp2	All	All
Application	Bea	Weblogic Server	6.0	sp2	express	All
Application	Bea	Weblogic Server	6.0	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All

Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All

Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	6.0	All	All	All
Application	Bea	Weblogic Server	6.0	All	express	All
Application	Bea	Weblogic Server	6.0	All	win32	All
Application	Bea	Weblogic Server	6.0	sp1	All	All
Application	Bea	Weblogic Server	6.0	sp1	express	All
Application	Bea	Weblogic Server	6.0	sp1	win32	All
Application	Bea	Weblogic Server	6.0	sp2	All	All
Application	Bea	Weblogic Server	6.0	sp2	express	All
Application	Bea	Weblogic Server	6.0	sp2	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All

Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0.0.1	All	All	All
Application	Bea	Weblogic Server	7.0.0.1	All	express	All
Application	Bea	Weblogic Server	7.0.0.1	All	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp1	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp2	win32	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	All	All
Application	Bea	Weblogic Server	7.0.0.1	sp3	express	All
Application	Bea	Weblogic Server	7.0.0.1	sp4	All	All

Application	Bea	Weblogic Server	7.0.0.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Oracle	Weblogic Portal	8.0	All	All	All
Application	Oracle	Weblogic Portal	8.0	All	All	All
cpe:2.3:a:bea:weblogic_server:6.0:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.0:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:

cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0:sp5:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:express:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:~::~~::
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:express:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:*:express:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp1:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp2:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp3:~::~~::
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:~::~~::

cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:****:
cpe:2.3:a:bea:weblogic_server:6.0:****:
cpe:2.3:a:bea:weblogic_server:6.0:*:express:****:
cpe:2.3:a:bea:weblogic_server:6.0:*:win32:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:6.0:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:****:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:****:

cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:*****:

cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0.0.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*****:
cpe:2.3:a:oracle:weblogic_portal:8.0:*****:
cpe:2.3:a:oracle:weblogic_portal:8.0:*****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)

© [CVE.report](#) 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)