




CVE-2005-4751

Published on: 12/31/2005 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:22 PM UTC

CVE-2005-4751

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

Multiple cross-site scripting (XSS) vulnerabilities in BEA WebLogic Server and WebLogic Express 9.0, 8.1 SP4 and earlier, 7.0 SP6 and earlier, and 6.1 SP7 and earlier allow remote attackers to inject arbitrary web script or HTML and gain administrative privileges via unknown attack vectors.

CVE-2005-4751 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **6.8 - MEDIUM**

**Access
Vector**

NETWORK

**Access
Complexity**

MEDIUM

Authentication

NONE

**Confidentiality
Impact**

PARTIAL

**Integrity
Impact**

PARTIAL

**Availability
Impact**

PARTIAL

CVE References

Description

Tags

Link

BEA WebLogic Server and WebLogic Express Multiple Vulnerabilities

[Third Party Advisory](#)
[VDB Entry](#)
[cve.report \(archive\)](#)
[text/html](#)

[🌐](#) [BID 15052](#)

Patches available to prevent multiple cross-site scripting (XSS) vulnerabilities.

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[🔗](#) [BEA BEA05-80.02](#)

Secunia - Advisories - BEA WebLogic 24 Vulnerabilities and Security Issues

[Third Party Advisory](#)
[web.archive.org](#)
[text/html](#)

[X](#) [SECUNIA 17138](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that

would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	express	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All

Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	9.0	All	All	All
Application	Bea	Weblogic Server	9.0	All	express	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	express	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All

Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	9.0	All	All	All
Application	Bea	Weblogic Server	9.0	All	express	All

```
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:6.1:sp6:express:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:6.1:sp7:*:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*:*:*:*:*
```

cpe:2.3:a:bea:weblogic_server:7.0:sp1:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:7.0:sp3:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*.:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic server:8.1:sp1:::*.*.*.*.*.*
```

```
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:8.1:sp3:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:8.1:sp4:*.~*~*~*~*~*~*

```
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*:*:*:*:
```

```
one? 3.2.hea.wahlogic server:0 0.*.*.*.*.*.*.*
```

cpe:2.3:a:bea:weblogic_server:9.0.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:9.0.*.*.*.*.*:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.*.*.*.*.*:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp1.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp1:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp2.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp2:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp3.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp3:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp4.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp4:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp5.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp5:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp6.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp6:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp7.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:6.1.sp7:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.*.*.*.*.*:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp1.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp1:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp2.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp2:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp3.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp3:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp4.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp4:express.*.*.*.*.*
cpe:2.3:a:bea:weblogic_server:7.0.sp5.*.*.*.*.*

cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:9.0:****:
cpe:2.3:a:bea:weblogic_server:9.0:*:express:****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)