



CVE-2005-4761

Published on: 12/31/2005 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:21 PM UTC

CVE-2005-4761

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and WebLogic Express 8.1 SP4 and earlier, 7.0 SP5 and earlier, and 6.1 SP7 and earlier log the Java command line at server startup, which might include sensitive information (passwords or keyphrases) in the server log file when the -D option is used.

CVE-2005-4761 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **1.2 - LOW**

**Access
Vector**

LOCAL

**Access
Complexity**

HIGH

Authentication

NONE

**Confidentiality
Impact**

PARTIAL

**Integrity
Impact**

NONE

**Availability
Impact**

NONE

CVE References

Description

Tags

Link

BEA WebLogic Server and WebLogic Express Multiple Vulnerabilities

[Patch](#)
[cve.report \(archive\)](#)
[text/html](#)

[🌐 BID 15052](#)

Sensitive system properties values are displayed in the server log.

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[🔗 BEA BEA05-98.00](#)

Secunia - Advisories - BEA WebLogic 24 Vulnerabilities and Security Issues

[Patch](#)
[Vendor Advisory](#)
[web.archive.org](#)
[text/html](#)

[X SECUNIA 17138](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further

are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	express	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All

Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All

Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	express	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All

Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:****:

cpe:2.3:a:bea:weblogic_server:8.1:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:****.*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:****.*:

cpe:2.3:a:bea:weblogic_server:8.1:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*:*:*:*:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)