




CVE-2005-4762

Published on: 12/31/2005 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:21 PM UTC

CVE-2005-4762

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and WebLogic Express 8.1 SP4 and earlier, 7.0 SP6 and earlier, and 6.1 SP7 and earlier sometimes stores the boot password in the registry in cleartext, which might allow local users to gain administrative privileges.

CVE-2005-4762 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **7.2 - HIGH**

Access
Vector

Access
Complexity

Authentication

LOCAL

LOW

NONE

Confidentiality
Impact

Integrity
Impact

Availability
Impact

COMPLETE

COMPLETE

COMPLETE

CVE References

Description

Tags

Link

The password used to boot the server may appear in clear text in the Windows registry.

Patch
Vendor Advisory
dev2dev.bea.com
text/html

[BEA](#) BEA05-99.00

BEA WebLogic Server and WebLogic Express Multiple Vulnerabilities

Patch
cve.report (archive)
text/html

[BID](#) 15052

Secunia - Advisories - BEA WebLogic 24 Vulnerabilities and Security Issues

Patch
Vendor Advisory
web.archive.org
text/html

[SECUNIA](#) 17138

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further

are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All

Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	7.0	sp6	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All

Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All


```
cpe:2.3:a:bea:weblogic_server:6.1:sp5:~::~:
```

```
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:6.1:sp7:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:7.0:sp1:*.~*~*~*~*~*~*

```
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*:*:*:*:*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*:*:*:*:*
```

cpe:2.3:a:bea:weblogic_server:7.0:sp3:*.:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*:*:*:*.*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*.:*:*:*.*
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*:*:*:*:*
```

cpe:2.3:a:bea:weblogic_server:7.0:sp5:*:*:*:*:*:

```
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*.:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:7.0:sp6:win32:*:*:*:*:
```

```
cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:*:*:
```

cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*****:

cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:win32:*****:

cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*:*:*:*:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)

© [CVE.report](#) 2023  |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)