




CVE-2005-4764

Published on: 12/31/2005 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:22 PM UTC

CVE-2005-4764

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and WebLogic Express 9.0, 8.1, and 7.0 lock out the admin user account after multiple incorrect password guesses, which allows remote attackers who know or guess the admin account name to cause a denial of service (blocked admin logins).

CVE-2005-4764 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **7.8 - HIGH**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

COMPLETE

Integrity
Impact

NONE

Availability
Impact

NONE

CVE References

Description

Tags

Link

BEA WebLogic Server and WebLogic Express Multiple Vulnerabilities

[Patch](#)
[cve.report \(archive\)](#)
[text/html](#)

[🌐](#) [BID 15052](#)

The documentation has been updated to recommend multiple administrator accounts.

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[🔗](#) [BEA BEA05-101.00](#)

Secunia - Advisories - BEA WebLogic 24 Vulnerabilities and Security Issues

[Vendor Advisory](#)
[web.archive.org](#)
[text/html](#)

[X](#) [SECUNIA 17138](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	6.1	sp8	All	All
Application	Bea	Weblogic Server	6.1	sp8	express	All
Application	Bea	Weblogic Server	6.1	sp8	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All

Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	7.0	sp6	win32	All
Application	Bea	Weblogic Server	7.0	sp7	All	All
Application	Bea	Weblogic Server	7.0	sp7	express	All
Application	Bea	Weblogic Server	7.0	sp7	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All

Application	Bea	Weblogic Server	8.1	sp5	All	All
Application	Bea	Weblogic Server	8.1	sp5	express	All
Application	Bea	Weblogic Server	8.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	All	win32	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp1	win32	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp2	win32	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp3	win32	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp4	win32	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp5	win32	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	win32	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	6.1	sp7	win32	All
Application	Bea	Weblogic Server	6.1	sp8	All	All
Application	Bea	Weblogic Server	6.1	sp8	express	All
Application	Bea	Weblogic Server	6.1	sp8	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All

Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	7.0	sp6	win32	All
Application	Bea	Weblogic Server	7.0	sp7	All	All
Application	Bea	Weblogic Server	7.0	sp7	express	All
Application	Bea	Weblogic Server	7.0	sp7	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	8.1	sp5	All	All
Application	Bea	Weblogic Server	8.1	sp5	express	All
Application	Bea	Weblogic Server	8.1	sp5	win32	All

cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:7.0:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*:*:*:*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*:*:*:*:

cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:express:****.*:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:*:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:*:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:win32:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:****.*:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:****.*:

cpe:2.3:a:bea:weblogic_server:6.1:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:win32:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp8:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*****:

cpe:2.3:a:bea:weblogic_server:7.0:sp0:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp7:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp5:win32:*****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

Next ID→

site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)