




CVE-2005-4765

Published on: 12/31/2005 05:00:00 AM UTC

Last Modified on: 03/23/2021 11:27:22 PM UTC

CVE-2005-4765

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

BEA WebLogic Server and WebLogic Express 8.1 SP4 and earlier and 7.0 SP6 and earlier, when using the weblogic.Deployer command with the t3 protocol, does not use the secure t3s protocol even when an Administration port is enabled on the Administration server, which might allow remote attackers to sniff the connection.

CVE-2005-4765 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **7.6 - HIGH**

Access Vector	Access Complexity	Authentication
NETWORK	HIGH	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
COMPLETE	COMPLETE	COMPLETE

CVE References

Description	Tags	Link
BEA WebLogic Server and WebLogic Express Multiple Vulnerabilities	Patch cve.report (archive) text/html	🌐 BID 15052
In specific circumstances, weblogic.Deployer communication with the Administration server could be compromised.	Patch Vendor Advisory dev2dev.bea.com text/html	🔴 BEA BEA05-102.00
Secunia - Advisories - BEA WebLogic 24 Vulnerabilities and Security Issues	Patch Vendor Advisory web.archive.org text/html	X SECUNIA 17138

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that

would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	7.0	sp6	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All

Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp2	win32	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp3	win32	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
Application	Bea	Weblogic Server	8.1	sp4	win32	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	All	win32	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp1	win32	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp2	win32	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp3	win32	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp4	win32	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp5	win32	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	7.0	sp6	win32	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	All	win32	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp1	win32	All
Application	Bea	Weblogic Server	8.1	sp2	All	All

cpe:2.3:a:bea:weblogic_server:8.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:win32:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:****:

cpe:2.3:a:bea:weblogic_server:7.0:sp4:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:win32:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:win32:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:win32:*****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)