



CVE-2006-2471

Published on: 05/19/2006 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:25:07 PM UTC


CVE-2006-2471

[Source: Mitre](#)

[Source: NIST](#)

[CVE.ORG](#)

[Print: PDF](#)



Certain versions of [Weblogic Server](#) from [Bea](#) contain the following vulnerability:

Multiple vulnerabilities in BEA WebLogic Server 8.1 through SP4, 7.0 through SP6, and 6.1 through SP7 leak sensitive information to remote attackers, including (1) DNS and IP addresses to address to T3 clients, (2) internal sensitive information using GetIORServlet, (3) certain "server details" in exceptions when invalid XML is provided, and (4) a stack trace in a SOAP fault.

CVE-2006-2471 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **5 - MEDIUM**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

PARTIAL

Integrity
Impact

NONE

Availability
Impact

NONE

CVE References

Description

Tags

Link

Webmail : Solution de messagerie professionnelle - OVHcloud-OVH

[www.vupen.com](#)
[text/html](#)

[VUPEN ADV-2006-1828](#)

Internal network information may be externally visible

[Patch](#)
[Vendor Advisory](#)
[dev2dev.bea.com](#)
[text/html](#)

[BEA BEA06-125.00](#)

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](#)
[text/html](#)

[XF weblogic-internal-information-disclosure\(26465\)](#)

BEA WebLogic Server/Express Multiple Security Issues - Advisories - Secunia

[Patch](#)
[Vendor Advisory](#)
[web.archive.org](#)

[SECUNIA 20130](#)

WebLogic Server May Disclose Internal Network Addresses -
SecurityTracker

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Bea	Weblogic Server	6.1	All	All	All
Application	Bea	Weblogic Server	6.1	All	express	All
Application	Bea	Weblogic Server	6.1	sp1	All	All
Application	Bea	Weblogic Server	6.1	sp1	express	All
Application	Bea	Weblogic Server	6.1	sp2	All	All
Application	Bea	Weblogic Server	6.1	sp2	express	All
Application	Bea	Weblogic Server	6.1	sp3	All	All
Application	Bea	Weblogic Server	6.1	sp3	express	All
Application	Bea	Weblogic Server	6.1	sp4	All	All
Application	Bea	Weblogic Server	6.1	sp4	express	All
Application	Bea	Weblogic Server	6.1	sp5	All	All
Application	Bea	Weblogic Server	6.1	sp5	express	All
Application	Bea	Weblogic Server	6.1	sp6	All	All
Application	Bea	Weblogic Server	6.1	sp6	express	All
Application	Bea	Weblogic Server	6.1	sp7	All	All
Application	Bea	Weblogic Server	6.1	sp7	express	All
Application	Bea	Weblogic Server	7.0	All	All	All
Application	Bea	Weblogic Server	7.0	All	express	All
Application	Bea	Weblogic Server	7.0	sp1	All	All
Application	Bea	Weblogic Server	7.0	sp1	express	All
Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All

Application	Bea	Weblogic Server	7.0	sp2	All	All
Application	Bea	Weblogic Server	7.0	sp2	express	All
Application	Bea	Weblogic Server	7.0	sp3	All	All
Application	Bea	Weblogic Server	7.0	sp3	express	All
Application	Bea	Weblogic Server	7.0	sp4	All	All
Application	Bea	Weblogic Server	7.0	sp4	express	All
Application	Bea	Weblogic Server	7.0	sp5	All	All
Application	Bea	Weblogic Server	7.0	sp5	express	All
Application	Bea	Weblogic Server	7.0	sp6	All	All
Application	Bea	Weblogic Server	7.0	sp6	express	All
Application	Bea	Weblogic Server	8.1	All	All	All
Application	Bea	Weblogic Server	8.1	All	express	All
Application	Bea	Weblogic Server	8.1	sp1	All	All
Application	Bea	Weblogic Server	8.1	sp1	express	All
Application	Bea	Weblogic Server	8.1	sp2	All	All
Application	Bea	Weblogic Server	8.1	sp2	express	All
Application	Bea	Weblogic Server	8.1	sp3	All	All
Application	Bea	Weblogic Server	8.1	sp3	express	All
Application	Bea	Weblogic Server	8.1	sp4	All	All
Application	Bea	Weblogic Server	8.1	sp4	express	All
cpe:2.3:a:bea:weblogic_server:6.1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:*:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:*:*:*:*:						
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*:*:*:*:*:						

cpe:2.3:a:bea:weblogic_server:6.1:sp6:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:*****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:*****:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:*****:
cpe:2.3:a:bea:weblogic_server:6.1:*****:

cpe:2.3:a:bea:weblogic_server:6.1:*:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp5:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp6:express:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:*:****:
cpe:2.3:a:bea:weblogic_server:6.1:sp7:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:*:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp1:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp2:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp3:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp4:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp5:express:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:*:****:
cpe:2.3:a:bea:weblogic_server:7.0:sp6:express:****:

cpe:2.3:a:bea:weblogic_server:7.0:sp0:express:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:***:***:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:*:express:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:***:***:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp1:express:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:***:***:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp2:express:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:***:***:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp3:express:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:***:***:***:***:
cpe:2.3:a:bea:weblogic_server:8.1:sp4:express:***:***:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)