



# CVE-2008-3197

Published on: 07/16/2008 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:25:12 PM UTC


## CVE-2008-3197

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Phpmyadmin](#) from [Phpmyadmin](#) contain the following vulnerability:

Cross-site request forgery (CSRF) vulnerability in phpMyAdmin before 2.11.7.1 allows remote attackers to perform unauthorized actions via a link or IMG tag to (1) the db parameter in the "Creating a Database" functionality (db\_create.php), and (2) the convcharset and collation\_connection parameters related to an unspecified program that modifies the connection character set.

CVE-2008-3197 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **3.5 - LOW**

Access  
Vector

Access  
Complexity

Authentication

**NETWORK**

**MEDIUM**

**SINGLE**

Confidentiality  
Impact

Integrity  
Impact

Availability  
Impact

**NONE**

**PARTIAL**

**NONE**

## CVE References

Description

Tags

Link

Fedora update for  
phpMyAdmin - Secunia  
Advisories - Vulnerability  
Intelligence - Secunia.com

[web.archive.org](#)  
[text/html](#)

[X](#) [SECUNIA 31097](#)

phpMyAdmin Cross-Site  
Request Forgery  
Vulnerabilities - Secunia  
Advisories - Vulnerability  
Intelligence - Secunia.com

[Vendor Advisory](#)  
[web.archive.org](#)  
[text/html](#)

[X](#) [SECUNIA 31115](#)

Webmail : Solution de  
messagerie professionnelle  
OVHcloud OVH

[www.vupen.com](#)  
[text/html](#)

[VUPEN ADV-2008-2116](#)

|                                                                                                       |                                                                                                                            |                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                       | <a href="#">Exploit</a><br><a href="#">yehg.net</a><br><a href="#">application/pdf</a>                                     |  MISC<br><a href="#">yehg.net/lab/pr0js/advisories/XSRF_CreateDB_inPhpMyAdmin2.11.7.pdf</a>       |
| IBM X-Force Exchange                                                                                  | <a href="#">exchange.xforce.ibmcloud.com</a><br><a href="#">text/html</a>                                                  |  XF phpmyadmin-multi-csrf(43846)                                                                  |
| [SECURITY] Fedora 9 Update: phpMyAdmin-2.11.7.1-1.fc9                                                 | <a href="#">www.redhat.com</a><br><a href="#">text/html</a>                                                                |  FEDORA FEDORA-2008-6502                                                                          |
| [SECURITY] Fedora 8 Update: phpMyAdmin-2.11.7.1-1.fc8                                                 | <a href="#">www.redhat.com</a><br><a href="#">text/html</a>                                                                |  FEDORA FEDORA-2008-6450                                                                          |
| oss-security - CVE request: phpmyadmin < 2.11.7.1                                                     | <a href="#">www.openwall.com</a><br><a href="#">text/html</a>                                                              |  MLIST [oss-security] 20080715 CVE request: phpmyadmin < 2.11.7.1                                 |
| Debian -- Security Information -- DSA-1641-1 phpmyadmin                                               | <a href="#">www.debian.org</a><br><a href="#">Deprecated Link</a><br><a href="#">text/html</a>                             |  DEBIAN DSA-1641                                                                                  |
| SUSE update for moodle and phpMyAdmin - Secunia Advisories - Vulnerability Intelligence - Secunia.com | <a href="#">web.archive.org</a><br><a href="#">text/html</a>                                                               |  SECUNIA 33822                                                                                    |
|                                                                                                       | <a href="#">yehg.net</a><br><a href="#">application/pdf</a>                                                                |  MISC<br><a href="#">yehg.net/lab/pr0js/advisories/XSRF_ConvertCharset_inPhpMyAdmin2.11.7.pdf</a> |
| phpMyAdmin - Security - PMASA-2008-5                                                                  | <a href="#">www.phpmyadmin.net</a><br><a href="#">text/html</a>                                                            |  CONFIRM <a href="#">www.phpmyadmin.net/home_page/security.php?issue=PMASA-2008-5</a>           |
| phpMyAdmin - Download                                                                                 | <a href="#">www.phpmyadmin.net</a><br><a href="#">text/html</a>                                                            |  CONFIRM <a href="#">www.phpmyadmin.net/home_page/downloads.php?relnotes=0</a>                  |
| Security Advisories   Mandriva Linux                                                                  | <a href="#">www.mandriva.com</a><br><a href="#">text/html</a>                                                              |  MANDRIVA MDVSA-2008:202                                                                        |
| [security-announce] SUSE Security Summary Report: SUSE-SR:2009:003                                    | <a href="#">lists.opensuse.org</a><br><a href="#">text/html</a>                                                            |  SUSE SUSE-SR:2009:003                                                                          |
| SourceForge.net: phpMyAdmin: Files                                                                    | <a href="#">web.archive.org</a><br><a href="#">text/html</a><br><a href="#">Inactive Link</a> <a href="#">Not Archived</a> |  CONFIRM <a href="#">sourceforge.net/project/shownotes.php?release_id=613660</a>                |

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](mailto:comment@cve.report).

There are currently no QIDs associated with this CVE

#### Known Affected Configurations (CPE V2.3)

| Type        | Vendor     | Product    | Version | Update | Edition | Language |
|-------------|------------|------------|---------|--------|---------|----------|
| Application | Phpmyadmin | Phpmyadmin | 2.0     | All    | All     | All      |
| Application | Phpmyadmin | Phpmyadmin | 2.0.0   | All    | All     | All      |
| Application | Phpmyadmin | Phpmyadmin | 2.0.1   | All    | All     | All      |

|             |                            |                            |             |     |     |     |
|-------------|----------------------------|----------------------------|-------------|-----|-----|-----|
|             |                            |                            |             |     |     |     |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.5       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.01     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.1.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.2.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0beta1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3.0    | All | All | All |

|             |                            |                            |            |     |     |     |
|-------------|----------------------------|----------------------------|------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4.0   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.0   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.6     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.6rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.7.0   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2        | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_pre1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_pre2 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc2  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc3  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.4      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.5      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.6      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.7_pl1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_pre1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_pre2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc3    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.3.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.3.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.4.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.2      | All | All | All |

|             |                            |                            |             |     |     |     |
|-------------|----------------------------|----------------------------|-------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.2_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_rc2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.6_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.6_rc2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.7       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.7_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_dev   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.3_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl4   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_beta1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_pl2   | All | All | All |

|             |                            |                            |             |     |     |     |
|-------------|----------------------------|----------------------------|-------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7_pl1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.2     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.3     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.1_dev   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0.1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0.2     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0.3     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0_beta1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0_dev   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.0_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.1.1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.1_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.1_rc2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.9_rc1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.0.5       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.1       | All | All | All |

|             |                            |                            |             |     |     |     |
|-------------|----------------------------|----------------------------|-------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.1.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.0.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.01     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.1.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.2.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.10.3rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0beta1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.0rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.1rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.2.2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.3rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.4rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.0    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.2    | All | All | All |

|             |                            |                            |            |     |     |     |
|-------------|----------------------------|----------------------------|------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5.2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.5rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.6     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.6rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.11.7.0   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2        | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_pre1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_pre2 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc2  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.0_rc3  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.4      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.5      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.6      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2.7_pl1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_pre1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_pre2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc1    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc2    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.2_rc3    | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.3.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.3.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.4.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.0      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.1      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.2      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.2_pl1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.3      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.4      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5      | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_pl1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_rc1  | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.5_rc2  | All | All | All |



|             |                            |                            |             |     |     |     |
|-------------|----------------------------|----------------------------|-------------|-----|-----|-----|
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.6_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.6_rc2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.7       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.5.7_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.0_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.1_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_dev   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.2_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.3       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.3_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl3   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_pl4   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.6.4_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7         | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_beta1 | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_pl1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_pl2   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7.0_rc1   | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.7_pl1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0       | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.1     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.2     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.0.3     | All | All | All |
| Application | <a href="#">Phpmyadmin</a> | <a href="#">Phpmyadmin</a> | 2.8.1       | All | All | All |

|                                                     |            |            |             |     |     |     |
|-----------------------------------------------------|------------|------------|-------------|-----|-----|-----|
| Application                                         | Phpmyadmin | Phpmyadmin | 2.8.1_dev   | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.8.2       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.8.3       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.8.4       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9         | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0.1     | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0.2     | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0.3     | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0_beta1 | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0_dev   | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.0_rc1   | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.1       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.1.1     | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.1_rc1   | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.1_rc2   | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9.2       | All | All | All |
| Application                                         | Phpmyadmin | Phpmyadmin | 2.9_rc1     | All | All | All |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0:*:*:*:*:*:      |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.0:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.1:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.2:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.3:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.4:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.5:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1:*:*:*:*:*:      |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.0:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.1:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.2:*:*:*:*:*:    |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0:*:*:*:*:*:   |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.0:*:*:*:*:*: |            |            |             |     |     |     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.1:*:*:*:*:*: |            |            |             |     |     |     |

|                                                    |
|----------------------------------------------------|
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.2:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.01:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.1:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.1.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.2:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.2.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0beta1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.1:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.2:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.1:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.2:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4.0:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5:*****:      |

|                                                   |
|---------------------------------------------------|
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.0:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5rc1:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.6:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.6rc1:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.7.0:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2:*****:        |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_pre1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_pre2:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc1:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc2:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc3:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.2:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.3:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.4:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.5:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.6:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.7_pl1:*****:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_pre1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_pre2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc1:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc2:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc3:*****:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.3.1:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.3.2:*****:      |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.4.0:*****:      |

|                                                  |
|--------------------------------------------------|
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.0:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.2:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.2_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.3:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.4:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_rc1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_rc2:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.6_rc1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.6_rc2:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.7:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.7_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl2:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl3:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_pl3:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_rc1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_dev:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_rc1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.3:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.3_pl1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4:*****:     |

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl1:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl3:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl4:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_rc1:::*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0 beta1:.*:.*:.*:.*:.*:.*:.*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_pl1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_pl2:*:*:*:*:*.*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_rc1:::.*:.*:.*:.*:.*:.*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.7_pl1.*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.1:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.3:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.1:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.1_dev:*.:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.2:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.3:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.4.*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.2:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.3:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_beta1.*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_dev:*:*:*:*.*.*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_rc1:::.*:.*:.*:.*:.*:.*
```

|                                                     |
|-----------------------------------------------------|
|                                                     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1.1:****:*:*:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1_rc1:****:*:*: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1_rc2:****:*:*: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.2:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9_rc1:****:*:*:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0:****:*:*:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.0:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.1:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.2:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.3:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.4:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.0.5:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1:****:*:*:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.0:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.1:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.1.2:****:*:*:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0:****:*:*:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.0:****:*:*:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.1:****:*:*:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.0.2:****:*:*:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.01:****:*:*:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.1:****:*:*:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.1.0:****:*:*:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.2:****:*:*:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.2.0:****:*:*:  |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3:****:*:*:    |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3.0:****:*:*:  |
|                                                     |

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.10.3rc1:::*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0.0:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0beta1:::*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.0rc1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.1rc1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.0:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.2.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3.0:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.3rc1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4.0:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.4rc1:::*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.0:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5.2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.5rc1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.6:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.6rc1:*.:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.11.7.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2:*:*:*:*:*:*:
```



```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_pre1:::*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_pre2:::*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.0_rc3:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.2:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.3:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.6:::*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2.7_pl1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_pre1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_pre2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc1:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc2:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.2_rc3:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.3.1:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.3.2:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.4.0:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.0:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.1:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.2:*:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.2_pl1:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.3:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.4.*:*:*:*:*:*:*:
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5:*:*:*:*:*:*
```

```
cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_pl1:*:*:*:*:*:*
```

|                                                    |
|----------------------------------------------------|
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.5_rc2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.6_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.6_rc2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.7:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.5.7_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.0_pl3:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_pl3:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.1_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_dev:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.2_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.3:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.3_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl3:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_pl4:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.6.4_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7:*****:         |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_beta1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_pl1:*****:   |

|                                                    |
|----------------------------------------------------|
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_pl1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_pl2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7.0_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.7_pl1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.2:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.0.3:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.1:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.1_dev:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.2:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.3:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.8.4:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9:*****:         |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.2:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0.3:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_beta1:*****: |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_dev:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.0_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1.1:*****:     |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1_rc1:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.1_rc2:*****:   |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9.2:*****:       |
| cpe:2.3:a:phpmyadmin:phpmyadmin:2.9_rc1:*****:     |

No vendor comments have been submitted for this CVE

© [CVE.report](#) 2023  |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

**CVE.report and Source URL Uptime Status** [status.cve.report](#)