



# CVE-2008-3268

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

## Summary

|                        |                                                                                                                         |
|------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>CVE</b>             | CVE-2008-3268                                                                                                           |
| <b>State</b>           | PUBLIC                                                                                                                  |
| <b>Assigner</b>        | cve@mitre.org                                                                                                           |
| <b>Source Priority</b> | CVE Program / NVD first with legacy fallback                                                                            |
| <b>Published</b>       | 2008-07-24 15:41:00 UTC                                                                                                 |
| <b>Updated</b>         | 2017-08-08 01:31:00 UTC                                                                                                 |
| <b>Description</b>     | Unspecified vulnerability in phpScheduleIt 1.2.0 through 1.2.9, when useLogonName is enabled, allows remote attackers w |

## Risk And Classification

**Problem Types:** CWE-264 | NVD-CWE-noinfo

## NVD Known Affected Configurations (CPE 2.3)

| Type        | Vendor                    | Product                       | Version | Update | Edition | Language |
|-------------|---------------------------|-------------------------------|---------|--------|---------|----------|
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | beta   | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | rc1    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.1   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.2   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.3   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.4   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.5   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.6   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.7   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.9   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | beta   | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.0   | rc1    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.1   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.2   | All    | All     | All      |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.3   | All    | All     | All      |

|             |                           |                               |       |     |     |     |
|-------------|---------------------------|-------------------------------|-------|-----|-----|-----|
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.4 | All | All | All |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.5 | All | All | All |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.6 | All | All | All |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.7 | All | All | All |
| Application | <a href="#">Brickhost</a> | <a href="#">Phpscheduleit</a> | 1.2.9 | All | All | All |

## References

| Reference                                                                                                    | Source  | Link                          |
|--------------------------------------------------------------------------------------------------------------|---------|-------------------------------|
| SourceForge.net: phpScheduleIt: Files                                                                        | CONFIRM | <a href="#">sourceforge.r</a> |
| IBM X-Force Exchange                                                                                         | XF      | <a href="#">exchange.xfo</a>  |
| phpScheduleIt 'useLogonName' Security Bypass Vulnerability                                                   | BID     | <a href="#">www.security</a>  |
| phpScheduleIt "useLogonName" Security Bypass - Secunia Advisories - Vulnerability Intelligence - Secunia.com | SECUNIA | <a href="#">secunia.com</a>   |
| CVE Program record                                                                                           | CVE.ORG | <a href="#">www.cve.org</a>   |
| NVD vulnerability detail                                                                                     | NVD     | <a href="#">nvd.nist.gov</a>  |

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.