



CVE-2009-4150

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2009-4150
State	PUBLISHED
Assigner	mitre
Source Priority	CVE Program / NVD first with legacy fallback
Published	2009-12-02 11:30:00 UTC
Updated	2026-04-23 00:35:47 UTC
Description	dasauto in IBM DB2 8 before FP18, 9.1 before FP8, 9.5 before FP4, and 9.7 before FP1 permits execution by unprivileged

Risk And Classification

Primary CVSS: v2.0 4.6 from nvd@nist.gov

AV:L/AC:L/Au:N/C:P/I:P/A:P

Problem Types: CWE-264 | n/a

CVSS v2.0 Breakdown

Access Vector

Local

Access Complexity

Low

Authentication

None

Confidentiality

Partial

Integrity

Partial

Availability

Partial

AV:L/AC:L/Au:N/C:P/I:P/A:P

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	ibm	Db2	9.5	fp2a	All	All

Application	lbm	Db2	9.5	fp3a	All	All
Application	lbm	Db2	9.5	fp3b	All	All
Application	lbm	Db2	9.1	fp1	All	All
Application	lbm	Db2	9.1	fp2	All	All
Application	lbm	Db2	9.1	fp3	All	All
Application	lbm	Db2	9.1	fp3a	All	All
Application	lbm	Db2	9.1	fp4	All	All
Application	lbm	Db2	9.1	fp5	All	All
Application	lbm	Db2	9.1	fp6	All	All
Application	lbm	Db2	9.1	fp6a	All	All
Application	lbm	Db2	9.1	fp7	All	All
Application	lbm	Db2	9.5	fp1	All	All
Application	lbm	Db2	9.5	fp2	All	All
Application	lbm	Db2	9.5	fp3	All	All
Application	lbm	Db2	9.7	All	All	All
Application	lbm	Db2 Universal Database	8	All	All	All
Application	lbm	Db2 Universal Database	8	fp1	aix	All
Application	lbm	Db2 Universal Database	8	fp1	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp1	linux	All
Application	lbm	Db2 Universal Database	8	fp10	aix	All
Application	lbm	Db2 Universal Database	8	fp10	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp10	linux	All
Application	lbm	Db2 Universal Database	8	fp10	solaris	All
Application	lbm	Db2 Universal Database	8	fp11	aix	All
Application	lbm	Db2 Universal Database	8	fp11	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp11	linux	All
Application	lbm	Db2 Universal Database	8	fp11	solaris	All
Application	lbm	Db2 Universal Database	8	fp12	aix	All
Application	lbm	Db2 Universal Database	8	fp12	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp12	linux	All
Application	lbm	Db2 Universal Database	8	fp12	solaris	All
Application	lbm	Db2 Universal Database	8	fp13	aix	All
Application	lbm	Db2 Universal Database	8	fp13	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp13	linux	All
Application	lbm	Db2 Universal Database	8	fp13	solaris	All
Application	lbm	Db2 Universal Database	8	fp14	aix	All

Application	lbm	Db2 Universal Database	8	fp14	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp14	linux	All
Application	lbm	Db2 Universal Database	8	fp14	solaris	All
Application	lbm	Db2 Universal Database	8	fp15	aix	All
Application	lbm	Db2 Universal Database	8	fp15	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp15	linux	All
Application	lbm	Db2 Universal Database	8	fp15	solaris	All
Application	lbm	Db2 Universal Database	8	fp16	aix	All
Application	lbm	Db2 Universal Database	8	fp16	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp16	linux	All
Application	lbm	Db2 Universal Database	8	fp16	solaris	All
Application	lbm	Db2 Universal Database	8	fp2	aix	All
Application	lbm	Db2 Universal Database	8	fp2	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp2	linux	All
Application	lbm	Db2 Universal Database	8	fp2	solaris	All
Application	lbm	Db2 Universal Database	8	fp3	aix	All
Application	lbm	Db2 Universal Database	8	fp3	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp3	linux	All
Application	lbm	Db2 Universal Database	8	fp3	solaris	All
Application	lbm	Db2 Universal Database	8	fp4	aix	All
Application	lbm	Db2 Universal Database	8	fp4	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp4	linux	All
Application	lbm	Db2 Universal Database	8	fp4	solaris	All
Application	lbm	Db2 Universal Database	8	fp4a	aix	All
Application	lbm	Db2 Universal Database	8	fp4a	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp4a	linux	All
Application	lbm	Db2 Universal Database	8	fp4a	solaris	All
Application	lbm	Db2 Universal Database	8	fp5	aix	All
Application	lbm	Db2 Universal Database	8	fp5	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp5	linux	All
Application	lbm	Db2 Universal Database	8	fp5	solaris	All
Application	lbm	Db2 Universal Database	8	fp6	aix	All
Application	lbm	Db2 Universal Database	8	fp6	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp6	linux	All
Application	lbm	Db2 Universal Database	8	fp6	solaris	All

Application	lbm	Db2 Universal Database	8	fp6a	aix	All
Application	lbm	Db2 Universal Database	8	fp6a	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp6a	linux	All
Application	lbm	Db2 Universal Database	8	fp6a	solaris	All
Application	lbm	Db2 Universal Database	8	fp6b	aix	All
Application	lbm	Db2 Universal Database	8	fp6b	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp6b	linux	All
Application	lbm	Db2 Universal Database	8	fp6b	solaris	All
Application	lbm	Db2 Universal Database	8	fp6c	aix	All
Application	lbm	Db2 Universal Database	8	fp6c	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp6c	linux	All
Application	lbm	Db2 Universal Database	8	fp6c	solaris	All
Application	lbm	Db2 Universal Database	8	fp7	aix	All
Application	lbm	Db2 Universal Database	8	fp7	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp7	linux	All
Application	lbm	Db2 Universal Database	8	fp7	solaris	All
Application	lbm	Db2 Universal Database	8	fp7a	aix	All
Application	lbm	Db2 Universal Database	8	fp7a	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp7a	linux	All
Application	lbm	Db2 Universal Database	8	fp7a	solaris	All
Application	lbm	Db2 Universal Database	8	fp7b	aix	All
Application	lbm	Db2 Universal Database	8	fp7b	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp7b	linux	All
Application	lbm	Db2 Universal Database	8	fp7b	solaris	All
Application	lbm	Db2 Universal Database	8	fp8	aix	All
Application	lbm	Db2 Universal Database	8	fp8	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp8	linux	All
Application	lbm	Db2 Universal Database	8	fp8	solaris	All
Application	lbm	Db2 Universal Database	8	fp8a	aix	All
Application	lbm	Db2 Universal Database	8	fp8a	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp8a	linux	All
Application	lbm	Db2 Universal Database	8	fp8a	solaris	All
Application	lbm	Db2 Universal Database	8	fp9	aix	All
Application	lbm	Db2 Universal Database	8	fp9	hp_ux	All
Application	lbm	Db2 Universal Database	8	fp9	linux	All
Application	lbm	Db2 Universal Database	8	fp9	linux	All

Application	ibm	Db2 Universal Database	8	tp9	solaris	All
Application	ibm	Db2 Universal Database	8	fp9a	aix	All
Application	ibm	Db2 Universal Database	8	fp9a	hp_ux	All
Application	ibm	Db2 Universal Database	8	fp9a	linux	All
Application	ibm	Db2 Universal Database	8	fp9a	solaris	All

Vendor Declared Affected Products						
Source	Vendor	Product	Version	Platforms		
CNA	Na	N/a	affected n/a	Not specified		

References	
Reference	Source
IBM DB2 Multiple Vulnerabilities - Advisories - Community	af854a3a-2127-422b-9
SecurityTracker.com Archives - IBM DB2 dasauto Command Lets Local Users Deny Service	af854a3a-2127-422b-9
IBM IZ40340: DASAUTO COMMAND CAN BE RUN BY NON-PRIVILEGED USERS - United States	af854a3a-2127-422b-9
IBM IC64759: DASAUTO COMMAND CAN BE RUN BY NON-PRIVILEGED USERS - United States	af854a3a-2127-422b-9
IBM - Security and HIPER APARs fixed in DB2 for Linux, UNIX, and Windows Version 9.5 Fix Pack 4	af854a3a-2127-422b-9
IBM - Security Vulnerabilities and HIPER APARs fixed in DB2 for Linux, UNIX, and Windows Version 9.1 Fix Pack 8	af854a3a-2127-422b-9
IBM IZ40343: DASAUTO COMMAND CAN BE RUN BY NON-PRIVILEGED USERS - United States	af854a3a-2127-422b-9
Webmail : Solution de messagerie professionnelle - OVHcloud- OVH	af854a3a-2127-422b-9
IBM IZ40352: DASAUTO COMMAND CAN BE RUN BY NON-PRIVILEGED USERS - United States	af854a3a-2127-422b-9
IBM DB2 Two Vulnerabilities - Secunia Advisories - Vulnerability Information - Secunia.com	af854a3a-2127-422b-9
CVE Program record	CVE.ORG
NVD vulnerability detail	NVD

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.