



CVE-2011-1316

Published on: 03/08/2011 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:23:15 PM UTC


CVE-2011-1316

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Websphere Application Server](#) from [Ibm](#) contain the following vulnerability:

The Session Initiation Protocol (SIP) Proxy in the HTTP Transport component in IBM WebSphere Application Server (WAS) before 7.0.0.15 allows remote attackers to cause a denial of service (worker thread exhaustion and UDP messaging outage) by sending many UDP messages.

CVE-2011-1316 has been assigned by [M](#) cve@mitre.org to track the vulnerability

CVSS2 Score: **5 - MEDIUM**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

NONE

Integrity
Impact

NONE

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

IBM PM23115: UNDER HEAVY LOAD, THE SIP PROXY MAY STOP PROCESSING UDP MESSAGES. - United States

[www-01.ibm.com
text/html](http://www-01.ibm.com/text/html)

[AIXAPAR PM23115](#)

IBM Fix list for IBM WebSphere Application Server V7.0 - United States

[www-01.ibm.com
text/html](http://www-01.ibm.com/text/html)

[CONFIRM www-01.ibm.com/support/docview.wss?uid=swg27014463](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no OIDs associated with this CVE

There are currently no CVEs associated with this CVE						
Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	IBM	WebSphere Application Server	2.0	All	All	All
Application	IBM	WebSphere Application Server	3.0	All	All	All
Application	IBM	WebSphere Application Server	3.0.2	All	All	All
Application	IBM	WebSphere Application Server	3.0.2.1	All	All	All
Application	IBM	WebSphere Application Server	3.0.2.2	All	All	All
Application	IBM	WebSphere Application Server	3.0.2.3	All	All	All
Application	IBM	WebSphere Application Server	3.0.2.4	All	All	All
Application	IBM	WebSphere Application Server	3.0.21	All	All	All
Application	IBM	WebSphere Application Server	3.5	All	All	All
Application	IBM	WebSphere Application Server	3.5.1	All	All	All
Application	IBM	WebSphere Application Server	3.5.2	All	All	All
Application	IBM	WebSphere Application Server	3.5.3	All	All	All
Application	IBM	WebSphere Application Server	3.52	All	All	All
Application	IBM	WebSphere Application Server	4.0.1	All	All	All
Application	IBM	WebSphere Application Server	4.0.2	All	All	All
Application	IBM	WebSphere Application Server	4.0.3	All	All	All
Application	IBM	WebSphere Application Server	4.0.4	All	All	All
Application	IBM	WebSphere Application Server	5.0	All	All	All
Application	IBM	WebSphere Application Server	5.0.0	All	All	All
Application	IBM	WebSphere Application Server	5.0.1	All	All	All
Application	IBM	WebSphere Application Server	5.0.2	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.1	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.10	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.11	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.12	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.13	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.14	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.15	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.16	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.2	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.3	All	All	All
Application	IBM	WebSphere Application Server	5.0.2.4	All	All	All

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

cpe:2.3:a:ibm:websphere_application_server:3.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.2.1:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.2.2:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.2.3:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.2.4:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.21:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.1:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.2:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.3:*****:
cpe:2.3:a:ibm:websphere_application_server:3.52:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.0:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.10:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.11:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.12:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.13:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.14:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.15:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.16:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.2.1:*****:

cpe:2.3:a:ibm:websphere_application_server:5.0.2.3:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.5:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.6:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.7:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.8:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.9:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.0:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.0.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.0.5:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.10:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.11:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.12:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.13:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.14:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.15:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.16:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.17:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.3:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.5:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.6:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.7:*****:
cpe:2.3:a:ibm:websphere_application_server:5.1.1.8:*****:

cpe:2.3:a:ibm:websphere_application_server:5.1.1.9:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.11:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.13:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.15:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.17:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.5:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.7:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.9:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.11:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.13:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.15:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.17:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.19:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.22:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.23:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.24:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.25:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.27:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.28:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.29:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.3:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.30:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.31:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.32:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.4:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.5:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.6:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.7:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.9:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.0:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.1:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.11:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.12:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.15:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.17:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.19:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.2:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.21:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.23:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.25:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.27:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.29:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.3:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.31:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.33:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.5:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.7:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.0.9:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.1:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.13:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.14:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.3:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.5:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.6:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:6.1.7:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.1:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.11:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.2:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.3:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.4:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.5:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.6:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.7:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.8:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:7.0.0.9:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:2.0:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0.2:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0.2.1:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0.2.2:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0.2.3:****:*:*:

cpe:2.3:a:ibm:websphere_application_server:3.0.2.4:*****:
cpe:2.3:a:ibm:websphere_application_server:3.0.21:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.1:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.2:*****:
cpe:2.3:a:ibm:websphere_application_server:3.5.3:*****:
cpe:2.3:a:ibm:websphere_application_server:3.52:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:4.0.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.0:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.1:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.10:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.11:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.12:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.13:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.14:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.15:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.16:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.2:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.3:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.4:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.5:*****:
cpe:2.3:a:ibm:websphere_application_server:5.0.2.6:*****:
cpe:2.3:a:ibm:websphere application server:5.0.2.7:*****:

```
cpe:2.3:a:ibm:websphere_application_server:5.0.2.8:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:websphere_application_server:5.0.2.9:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.0.2:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.0.3:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.0.4:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.0.5:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.1:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.10:::*.*.*.*.*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.11:::*:*:*.*.*.*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.12:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.13.*.*.*.*.*.*.*.*.*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.14:::*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.15:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.16:*.:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.17:*.:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.2:*:*:*:*:*:*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.3:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.4:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.5:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:5.1.1.6:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.7:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.8:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere application server:5.1.1.9:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere_application_server:6.0:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:websphere application server:6.0.0.1:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:websphere application server:6.0.0.2:*:*:*:*:*.*
```

cpe:2.3:a:ibm:websphere_application_server:6.0.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.11:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.13:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.15:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.17:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.5:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.7:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.1.9:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.11:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.13:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.15:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.17:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.19:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.22:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.23:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.24:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.25:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.27:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.28:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.29:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.30:*****:

cpe:2.3:a:ibm:websphere_application_server:6.0.2.30:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.31:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.32:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.4:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.5:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.6:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.7:*****:
cpe:2.3:a:ibm:websphere_application_server:6.0.2.9:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.0:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.1:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.11:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.12:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.15:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.17:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.19:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.2:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.21:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.23:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.25:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.27:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.29:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.3:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.31:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.33:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.5:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.7:*****:
cpe:2.3:a:ibm:websphere_application_server:6.1.0.9:*****:

cpe:2.3:a:ibm:websphere_application_server:6.1.1:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.13:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.14:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.3:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.5:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.6:****.***:
cpe:2.3:a:ibm:websphere_application_server:6.1.7:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.1:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.11:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.2:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.3:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.4:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.5:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.6:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.7:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.8:****.***:
cpe:2.3:a:ibm:websphere_application_server:7.0.0.9:****.***:
cpe:2.3:a:ibm:websphere_application_server:****.***:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

Next ID→

© CVE.report 2023 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status status.cve.report