



# CVE-2011-3341

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

## Summary

|                        |                                                                                                                            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>CVE</b>             | CVE-2011-3341                                                                                                              |
| <b>State</b>           | PUBLIC                                                                                                                     |
| <b>Assigner</b>        | secalert@redhat.com                                                                                                        |
| <b>Source Priority</b> | CVE Program / NVD first with legacy fallback                                                                               |
| <b>Published</b>       | 2011-09-08 18:55:00 UTC                                                                                                    |
| <b>Updated</b>         | 2012-01-19 03:59:00 UTC                                                                                                    |
| <b>Description</b>     | Multiple off-by-one errors in order_cmd.cpp in OpenTTD before 1.1.3 allow remote attackers to cause a denial of service (d |

## Risk And Classification

### Problem Types: CWE-189

## NVD Known Affected Configurations (CPE 2.3)

| Type        | Vendor                  | Product                 | Version | Update | Edition | Language |
|-------------|-------------------------|-------------------------|---------|--------|---------|----------|
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.1   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.2   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.3   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.4   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.2.0   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.2.1   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.0   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.1   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.2   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.2.1 | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.3   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.4   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.5   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.6   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.7   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.0   | All    | All     | All      |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.0.1 | All    | All     | All      |

|             |                         |                         |       |       |     |     |
|-------------|-------------------------|-------------------------|-------|-------|-----|-----|
|             |                         |                         |       |       |     |     |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.5 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.6 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.7 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc4   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc5   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta3 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta4 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta5 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | rc2   | All | All |

|             |                         |                         |       |       |     |     |
|-------------|-------------------------|-------------------------|-------|-------|-----|-----|
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.4 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.4 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.5 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.5 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta3 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta4 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.3 | All   | All | All |

|             |                         |                         |         |       |     |     |
|-------------|-------------------------|-------------------------|---------|-------|-----|-----|
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.3   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.4   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.4   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.5   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.5   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.5   | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | beta3 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | beta4 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | beta5 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.0   | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.1   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.1   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.2   | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.1.2   | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.1   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.2   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.3   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.1.4   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.2.0   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.2.1   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.0   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.1   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.2   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.2.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.3   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.4   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.5   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.6   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.3.7   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.0   | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.0.1 | All   | All | All |

|             |                         |                         |       |       |     |     |
|-------------|-------------------------|-------------------------|-------|-------|-----|-----|
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.5 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.6 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.7 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.4.8 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc4   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.0 | rc5   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.1 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.5.3 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta3 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta4 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | beta5 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.2 | rc2   | All | All |

|             |                         |                         |       |       |     |     |
|-------------|-------------------------|-------------------------|-------|-------|-----|-----|
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.6.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.1 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.2 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.3 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.4 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.4 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.5 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 0.7.5 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta1 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta2 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta3 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | beta4 | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.0 | rc3   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.1 | rc2   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.2 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.2 | rc1   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.3 | All   | All | All |
| Application | <a href="#">Openttd</a> | <a href="#">Openttd</a> | 1.0.3 | rc1   | All | All |

|             |                         |                         |       |       |     |     |
|-------------|-------------------------|-------------------------|-------|-------|-----|-----|
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.3 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.4 | All   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.4 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.5 | All   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.5 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.0.5 | rc2   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | All   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | beta1 | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | beta2 | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | beta3 | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | beta4 | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | beta5 | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | rc2   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.0 | rc3   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.1 | All   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.1 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.2 | rc1   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | 1.1.2 | rc2   | All | All |
| Application | <a href="#">OpenTTD</a> | <a href="#">OpenTTD</a> | All   | All   | All | All |

| References                                                                           |         |                                         |                 |
|--------------------------------------------------------------------------------------|---------|-----------------------------------------|-----------------|
| Reference                                                                            | Source  | Link                                    | Tags            |
| oss-security - CVE request for OpenTTD                                               | MLIST   | <a href="#">openwall.com</a>            | Patch           |
| OpenTTD - Security tracker -                                                         | CONFIRM | <a href="#">security.openttd.org</a>    |                 |
| Fedora update for openttd - Secunia.com                                              | SECUNIA | <a href="#">secunia.com</a>             |                 |
| [SECURITY] Fedora 14 Update: openttd-1.1.3-1.fc14                                    | FEDORA  | <a href="#">lists.fedoraproject.org</a> |                 |
| Debian -- Security Information -- DSA-2386-1 openttd                                 | DEBIAN  | <a href="#">www.debian.org</a>          |                 |
| <a href="#">bugs.openttd.org/task/4745/getfile/7707/fixcmds.diff</a>                 | CONFIRM | <a href="#">bugs.openttd.org</a>        | Patch           |
| OpenTTD Multiple Buffer Overflow Vulnerabilities and Denial of Service Vulnerability | BID     | <a href="#">www.securityfocus.com</a>   |                 |
| oss-security - Re: CVE request for OpenTTD                                           | MLIST   | <a href="#">openwall.com</a>            | Patch           |
| FS#4745 : Fix command handlers, and the command packet handler                       | CONFIRM | <a href="#">bugs.openttd.org</a>        | Patch           |
| CVE Program record                                                                   | CVE.ORG | <a href="#">www.cve.org</a>             | canonical       |
| NVD vulnerability detail                                                             | NVD     | <a href="#">nvd.nist.gov</a>            | canonical, anal |
| No vendor comments have been submitted for this CVE.                                 |         |                                         |                 |

There are currently no legacy QID mappings associated with this CVE.

© [CVE.report](#) 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

**Free CVE JSON API** [cve.report/api](#)

**CVE.report and Source URL Uptime Status** [status.cve.report](#)