



CVE-2012-1094

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF !\[\]\(003082e50e3009141f59bd5df831749f_img.jpg\)](#)

Summary

CVE	CVE-2012-1094
State	PUBLIC
Assigner	secalert@redhat.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2020-03-10 17:15:00 UTC
Updated	2020-03-10 20:57:00 UTC
Description	JBoss AS 7 prior to 7.1.1 and mod_cluster do not handle default hostname in the same way, which can cause the excluded

Risk And Classification

Problem Types: CWE-200

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Redhat	Jboss Application Server	All	All	All	All
Application	Redhat	Jboss Application Server	All	All	All	All

References

Reference

[CVE-2012-1094 - Red Hat Customer Portal](#)

[798841 – \(CVE-2012-1094\) CVE-2012-1094 mod_cluster registers and exposes the root context of a JBoss AS 7 server by default, despite R](#)

[CVE Program record](#)

[NVD vulnerability detail](#)

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report