



# CVE-2012-2746

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

## Summary

|                        |                                                                                                                         |
|------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>CVE</b>             | CVE-2012-2746                                                                                                           |
| <b>State</b>           | PUBLIC                                                                                                                  |
| <b>Assigner</b>        | secalert@redhat.com                                                                                                     |
| <b>Source Priority</b> | CVE Program / NVD first with legacy fallback                                                                            |
| <b>Published</b>       | 2012-07-03 16:40:00 UTC                                                                                                 |
| <b>Updated</b>         | 2017-09-19 01:34:00 UTC                                                                                                 |
| <b>Description</b>     | 389 Directory Server before 1.2.11.6 (aka Red Hat Directory Server before 8.2.10-3), when the password of a LDAP user h |

## Risk And Classification

### Problem Types: CWE-310

## NVD Known Affected Configurations (CPE 2.3)

| Type        | Vendor                         | Product              | Version  | Update | Edition | Language |
|-------------|--------------------------------|----------------------|----------|--------|---------|----------|
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.1    | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10   | alpha8 | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10   | rc1    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10.1 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10.2 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10.3 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10.4 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.10.7 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.11.1 | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.2    | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.3    | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.5    | All    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.5    | rc1    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.5    | rc2    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.5    | rc3    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.5    | rc4    | All     | All      |
| Application | <a href="#">Fedora</a> project | 389 Directory Server | 1.2.6    | All    | All     | All      |

|             |                                |                                      |          |        |     |     |
|-------------|--------------------------------|--------------------------------------|----------|--------|-----|-----|
|             |                                |                                      |          |        |     |     |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | a2     | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | a3     | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | a4     | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | rc1    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | rc2    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | rc3    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | rc6    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6    | rc7    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.6.1  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.7    | alpha3 | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.7.5  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8    | alpha1 | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8    | alpha2 | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8    | alpha3 | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8    | rc1    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8    | rc2    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8.1  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8.2  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.8.3  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.9.9  | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.1    | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10   | alpha8 | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10   | rc1    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10.1 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10.2 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10.3 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10.4 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.10.7 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.11.1 | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.2    | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.3    | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.5    | All    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.5    | rc1    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.5    | rc2    | All | All |
| Application | <a href="#">Fedora</a> project | <a href="#">389 Directory Server</a> | 1.2.5    | rc3    | All | All |

|             |                               |                                      |         |        |     |     |
|-------------|-------------------------------|--------------------------------------|---------|--------|-----|-----|
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.5   | rc4    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | a2     | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | a3     | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | a4     | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | rc1    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | rc2    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | rc3    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | rc6    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6   | rc7    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.6.1 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.7   | alpha3 | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.7.5 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8   | alpha1 | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8   | alpha2 | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8   | alpha3 | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8   | rc1    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8   | rc2    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8.1 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8.2 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.8.3 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | 1.2.9.9 | All    | All | All |
| Application | <a href="#">Fedoraproject</a> | <a href="#">389 Directory Server</a> | All     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 7.1     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 8.0     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 8.1     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 7.1     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 8.0     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | 8.1     | All    | All | All |
| Application | <a href="#">Redhat</a>        | <a href="#">Directory Server</a>     | All     | All    | All | All |

| References                                                                                  |  |  |  |  |         |                       |
|---------------------------------------------------------------------------------------------|--|--|--|--|---------|-----------------------|
| Reference                                                                                   |  |  |  |  | Source  | Link                  |
| SSRT101189                                                                                  |  |  |  |  | HP      | <a href="#">h205</a>  |
| Issue #365: Audit log - clear text password in user changes - 389-ds-base - Pagure.io       |  |  |  |  | CONFIRM | <a href="#">fedor</a> |
| 833482 – (CVE-2012-2746) CVE-2012-2746 rhds/389: plaintext password disclosure in audit log |  |  |  |  | CONFIRM | <a href="#">bugzi</a> |

|                                                                                                                        |         |                        |
|------------------------------------------------------------------------------------------------------------------------|---------|------------------------|
| IBM X-Force Exchange                                                                                                   | XF      | <a href="#">excha</a>  |
| Repository / Oval Repository                                                                                           | OVAL    | <a href="#">oval.c</a> |
| 83329                                                                                                                  | OSVDB   | <a href="#">www.</a>   |
| Red Hat Customer Portal                                                                                                | REDHAT  | <a href="#">rhn.re</a> |
| Red Hat Customer Portal                                                                                                | REDHAT  | <a href="#">rhn.re</a> |
| 389 Directory Server (Open Source LDAP)                                                                                | CONFIRM | <a href="#">direct</a> |
| Security Advisory SA49734 - Red Hat Directory Server Information Disclosure Security Issue and Vulnerability - Secunia | SECUNIA | <a href="#">secur</a>  |
| 504 Gateway Time-out                                                                                                   | BID     | <a href="#">www.</a>   |
| CVE Program record                                                                                                     | CVE.ORG | <a href="#">www.</a>   |
| NVD vulnerability detail                                                                                               | NVD     | <a href="#">nvd.n</a>  |



No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.