



CVE-2012-3173

Published on: 10/16/2012 12:00:00 AM UTC

Last Modified on: 01/24/2023 04:09:00 PM UTC


CVE-2012-3173

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Ubuntu Linux](#) from [Canonical](#) contain the following vulnerability:

Unspecified vulnerability in the MySQL Server component in Oracle MySQL 5.1.63 and earlier, and 5.5.25 and earlier, allows remote authenticated users to affect availability via unknown vectors related to InnoDB Plugin.

CVE-2012-3173 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **4 - MEDIUM**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

SINGLE

Confidentiality
Impact

NONE

Integrity
Impact

NONE

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

USN-1621-1: MySQL vulnerabilities | Ubuntu

[www.ubuntu.com
text/html](http://www.ubuntu.com/text/html)

[UBUNTU USN-1621-1](#)

Security Advisory SA51309 - Red Hat update for mysql - Secunia

[web.archive.org
text/html](http://web.archive.org/text/html)

[SECUNIA 51309](#)

About Secunia Research | Flexera

secunia.com
Deprecated Link
[text/plain](#)

[SECUNIA 53372](#)

Security Advisory SA51177 - Ubuntu update for mysql-5.1, mysql-5.5, and mysql-dfsg-5.1 - Secunia

[web.archive.org
text/html](http://web.archive.org/text/html)

[SECUNIA 51177](#)

Debian -- Security Information -- DSA-2581-1 mysql-5.1

www.debian.org
Deprecated Link
[text/html](#)

[DEBIAN DSA-2581](#)

Oracle Critical Patch Update - October 2012	Patch Vendor Advisory www.oracle.com text/html	 CONFIRM www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html
Support / Security / Advisories // MDVSA-2013:150 Mandriva	www.mandriva.com text/html	 MANDRIVA MDVSA-2013:150
Red Hat Customer Portal	web.archive.org text/html Inactive Link Not Archived	 REDHAT RHSA-2012:1462
Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities	security.gentoo.org text/html	 GENTOO GLSA-201308-06
IBM X-Force Exchange	exchange.xforce.ibmcloud.com text/html	 XF mysqlserver-innodbplugin-dos(79386)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	Canonical	Ubuntu Linux	10.04	All	All	All
Operating System	Canonical	Ubuntu Linux	11.10	All	All	All
Operating System	Canonical	Ubuntu Linux	12.04	All	All	All
Operating System	Canonical	Ubuntu Linux	12.10	All	All	All
Operating System	Debian	Debian Linux	6.0	All	All	All
Operating System	Debian	Debian Linux	7.0	All	All	All
Application	Mariadb	Mariadb	All	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mvsal	Mvsal	5.1.31	All	All	All

Application	Database	Database	Version	Platform	Platform	Platform
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All

Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All

Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All

Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All

Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All

Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Redhat	Enterprise Linux Desktop	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Eus	6.3	All	All	All
Operating System	Redhat	Enterprise Linux Server	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Workstation	6.0	All	All	All
cpe:2.3:o:canonical:ubuntu_linux:10.04:*:*:*:*:*:						
cpe:2.3:o:canonical:ubuntu_linux:11.10:*:*:*:*:*:						
cpe:2.3:o:canonical:ubuntu_linux:12.04:*:*:*:*:*:						
cpe:2.3:o:canonical:ubuntu_linux:12.10:*:*:*:*:*:						
cpe:2.3:o:debian:debian_linux:6.0:*:*:*:*:*:						
cpe:2.3:o:debian:debian_linux:7.0:*:*:*:*:*:						
cpe:2.3:a:mariadb:mariadb:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						

cpe:2.3:a:mysql:mysql:5.1.34:****:*:*:
cpe:2.3:a:mysql:mysql:5.1.37:****:*:*:
cpe:2.3:a:mysql:mysql:5.1.5:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.10:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.11:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.12:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.13:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.14:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.15:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.16:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.17:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.18:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.19:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.2:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.20:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.21:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.22:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.23:a:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.24:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.25:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.26:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.27:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.28:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.29:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.3:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.30:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:****:*:*:

cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:
cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:
cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:

cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:

cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:5.1.1:*****:
cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:
cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:
cpe:2.3:a:oracle:mysql:5.1.23:a:*****:
cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:

cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:
cpe:2.3:a:oracle:mysql:5.1.3:*****:
cpe:2.3:a:oracle:mysql:5.1.30:*****:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:
cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:

cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:

cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*****:
cpe:2.3:o:redhat:enterprise_linux_eus:6.3:*****:
cpe:2.3:o:redhat:enterprise_linux_server:6.0:*****:
cpe:2.3:o:redhat:enterprise_linux_workstation:6.0:*****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)