




CVE-2012-3197

Published on: 10/16/2012 12:00:00 AM UTC

Last Modified on: 09/15/2022 09:05:00 PM UTC

CVE-2012-3197

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Ubuntu Linux](#) from [Canonical](#) contain the following vulnerability:

Unspecified vulnerability in the MySQL Server component in Oracle MySQL 5.1.64 and earlier, and 5.5.26 and earlier, allows remote authenticated users to affect availability via unknown vectors related to Server Replication.

CVE-2012-3197 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **3.5 - LOW**

Access
Vector

NETWORK

Access
Complexity

MEDIUM

Authentication

SINGLE

Confidentiality
Impact

NONE

Integrity
Impact

NONE

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](https://exchange.xforce.ibmcloud.com/text/html)
text/html

[XF mysqlserver-serverreplication-dos\(79393\)](#)

USN-1621-1: MySQL vulnerabilities | Ubuntu

[www.ubuntu.com](https://www.ubuntu.com/text/html)
text/html

[UBUNTU USN-1621-1](#)

Security Advisory SA51309 - Red Hat update for mysql - Secunia

[web.archive.org](https://web.archive.org/text/html)
text/html

[SECUNIA 51309](#)

About Secunia Research | Flexera

secunia.com
Deprecated Link
text/plain

[SECUNIA 53372](#)

Security Advisory SA51177 - Ubuntu update for mysql-5.1, mysql-5.5, and mysql-dfsg-5.1 - Secunia

[web.archive.org](https://web.archive.org/text/html)
text/html

[SECUNIA 51177](#)

Debian -- Security Information -- DSA-2581-1
mysql-5.1

www.debian.org
Deprecated Link
text/html

 [DEBIAN DSA-2581](#)

Oracle Critical Patch Update - October 2012

Patch
Vendor Advisory
www.oracle.com
text/html

 [CONFIRM](http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html)
www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html

Support / Security / Advisories // MDVSA-2013:150 | Mandriva

www.mandriva.com
text/html

 [MANDRIVA MDVSA-2013:150](#)

Red Hat Customer Portal

web.archive.org
text/html
Inactive Link **Not Archived**

 [REDHAT RHSA-2012:1462](#)

Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities

security.gentoo.org
text/html

 [GENTOO GLSA-201308-06](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	Canonical	Ubuntu Linux	10.04	All	All	All
Operating System	Canonical	Ubuntu Linux	11.10	All	All	All
Operating System	Canonical	Ubuntu Linux	12.04	All	All	All
Operating System	Canonical	Ubuntu Linux	12.10	All	All	All
Operating System	Debian	Debian Linux	6.0	All	All	All
Operating System	Debian	Debian Linux	7.0	All	All	All
Application	Mariadb	Mariadb	All	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mvsal	Mvsal	5.1.31	All	All	All

Application	Database	Database	Version	Platform	Platform	Platform
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All

Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All

Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All

Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All

Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All

Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Redhat	Enterprise Linux Desktop	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Eus	6.3	All	All	All
Operating System	Redhat	Enterprise Linux Server	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Workstation	6.0	All	All	All
cpe:2.3:o:canonical:ubuntu_linux:10.04:***:-:***:						
cpe:2.3:o:canonical:ubuntu_linux:11.10:***:***:***:						
cpe:2.3:o:canonical:ubuntu_linux:12.04:***:-:***:						
cpe:2.3:o:canonical:ubuntu_linux:12.10:***:***:***:						
cpe:2.3:o:debian:debian_linux:6.0:***:***:***:						
cpe:2.3:o:debian:debian_linux:7.0:***:***:***:						
cpe:2.3:a:mariadb:mariadb:***:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.23:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.31:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.32:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.34:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.37:***:***:***:						
cpe:2.3:a:mysql:mysql:5.1.5:***:***:***:						

cpe:2.3:a:mysql:mysql:5.1.5:*****:
cpe:2.3:a:mysql:mysql:5.1.23:*****:
cpe:2.3:a:mysql:mysql:5.1.31:*****:
cpe:2.3:a:mysql:mysql:5.1.32:*****:
cpe:2.3:a:mysql:mysql:5.1.34:*****:
cpe:2.3:a:mysql:mysql:5.1.37:*****:
cpe:2.3:a:mysql:mysql:5.1.5:*****:
cpe:2.3:a:oracle:mysql:5.1.1:*****:
cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:
cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:
cpe:2.3:a:oracle:mysql:5.1.23:a:*****:
cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:

```
cpe:2.3:a:oracle:mysql:5.1.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.30:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.31:sp1:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.1.33:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.35:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.36:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.38:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.39:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.40:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.41:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.42:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.43:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.44:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.45:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.46:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.47:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.48:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.49:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.50:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.51::*:.*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.52:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.52:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.53:****:*:
cpe:2.3:a:oracle:mysql:5.1.54:****:*:
cpe:2.3:a:oracle:mysql:5.1.55:****:*:
cpe:2.3:a:oracle:mysql:5.1.56:****:*:
cpe:2.3:a:oracle:mysql:5.1.57:****:*:
cpe:2.3:a:oracle:mysql:5.1.58:****:*:
cpe:2.3:a:oracle:mysql:5.1.59:****:*:
cpe:2.3:a:oracle:mysql:5.1.6:****:*:
cpe:2.3:a:oracle:mysql:5.1.60:****:*:
cpe:2.3:a:oracle:mysql:5.1.61:****:*:
cpe:2.3:a:oracle:mysql:5.1.62:****:*:
cpe:2.3:a:oracle:mysql:5.1.63:****:*:
cpe:2.3:a:oracle:mysql:5.1.7:****:*:
cpe:2.3:a:oracle:mysql:5.1.8:****:*:
cpe:2.3:a:oracle:mysql:5.1.9:****:*:
cpe:2.3:a:oracle:mysql:5.5.0:****:*:
cpe:2.3:a:oracle:mysql:5.5.1:****:*:
cpe:2.3:a:oracle:mysql:5.5.10:****:*:
cpe:2.3:a:oracle:mysql:5.5.11:****:*:
cpe:2.3:a:oracle:mysql:5.5.12:****:*:
cpe:2.3:a:oracle:mysql:5.5.13:****:*:
cpe:2.3:a:oracle:mysql:5.5.14:****:*:
cpe:2.3:a:oracle:mysql:5.5.15:****:*:
cpe:2.3:a:oracle:mysql:5.5.16:****:*:
cpe:2.3:a:oracle:mysql:5.5.17:****:*:
cpe:2.3:a:oracle:mysql:5.5.18:****:*:
cpe:2.3:a:oracle:mysql:5.5.19:****:*:
cpe:2.3:a:oracle:mysql:5.5.2:****:*:

cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:5.1.1:*****:
cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:
cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:

```
cpe:2.3:a:oracle:mysql:5.1.23:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.26:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.29:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.30:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.33:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.35:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.36:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*.:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.38:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.39:*.:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.40:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.41:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.42:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.43:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.43:sp1:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.1.44:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.45:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.46:.*:.*:.*:.*:.*:.*:.*
```

cpe:2.3:a:oracle:mysql:5.1.46:sp1:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.1.47:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:
cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:

cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*****:
cpe:2.3:o:redhat:enterprise_linux_eus:6.3:*****:
cpe:2.3:o:redhat:enterprise_linux_server:6.0:*****:
cpe:2.3:o:redhat:enterprise_linux_workstation:6.0:*****:

No vendor comments have been submitted for this CVE

© CVE.report 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)