




CVE-2013-0385

Published on: 01/16/2013 12:00:00 AM UTC

Last Modified on: 07/18/2022 05:53:00 PM UTC

CVE-2013-0385

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Ubuntu Linux](#) from [Canonical](#) contain the following vulnerability:

Unspecified vulnerability in the Server component in Oracle MySQL 5.1.66 and earlier, and 5.5.28 and earlier, allows local users to affect confidentiality and integrity via unknown vectors related to Server Replication.

CVE-2013-0385 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **6.6 - MEDIUM**

Access
Vector

LOCAL

Access
Complexity

LOW

Authentication

NONE

Confidentiality
Impact

COMPLETE

Integrity
Impact

COMPLETE

Availability
Impact

NONE

CVE References

Description

Tags

Link

USN-1703-1: MySQL vulnerabilities | Ubuntu

www.ubuntu.com
text/html

[UBUNTU USN-1703-1](#)

Oracle Critical Patch Update - January 2013

[Vendor Advisory](#)
www.oracle.com
text/html

[CONFIRM](#)
www.oracle.com/technetwork/topics/security/cpujan2013-1515902.html

Repository / Oval Repository

oval.cisecurity.org
text/html

[OVAL oval:org.mitre.oval:def:16267](#)

About Secunia Research | Flexera

secunia.com
[Deprecated Link](#)
text/plain

[SECUNIA 53372](#)

Red Hat Customer Portal

web.archive.org
text/html

[Inactive Link](#) [Not Archived](#)

[REDHAT RHSA-2013:0219](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	Canonical	Ubuntu Linux	10.04	All	All	All
Operating System	Canonical	Ubuntu Linux	11.10	All	All	All
Operating System	Canonical	Ubuntu Linux	12.04	All	All	All
Operating System	Canonical	Ubuntu Linux	12.10	All	All	All
Application	Mariadb	Mariadb	All	All	All	All
Application	Mariadb	Mariadb	10.0.0	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All

Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All

Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All

Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All

Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All

Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All

Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Redhat	Enterprise Linux Desktop	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Eus	6.3	All	All	All
Operating System	Redhat	Enterprise Linux Server	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Workstation	6.0	All	All	All
cpe:2.3:o:canonical:ubuntu_linux:10.04.*.*.*:-.*.*.*:						
cpe:2.3:o:canonical:ubuntu_linux:11.10.*.*.*.*.*.*:						
cpe:2.3:o:canonical:ubuntu_linux:12.04.*.*.*:-.*.*.*:						
cpe:2.3:o:canonical:ubuntu_linux:12.10.*.*.*.*.*.*:						
cpe:2.3:a:mariadb:mariadb:*.*.*.*.*.*.*:						
cpe:2.3:a:mariadb:mariadb:10.0.0.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.23.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.31.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.32.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.34.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.37.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.5.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.23.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.31.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.32.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.34.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.37.*.*.*.*.*.*:						
cpe:2.3:a:mysql:mysql:5.1.5.*.*.*.*.*.*:						
cpe:2.3:a:oracle:mysql:5.1.1.*.*.*.*.*.*:						

cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:
cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:
cpe:2.3:a:oracle:mysql:5.1.23:a:*****:
cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:
cpe:2.3:a:oracle:mysql:5.1.3:*****:
cpe:2.3:a:oracle:mysql:5.1.30:*****:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mvsq:5.1.37:sp1:*****:

cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:
cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:
cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:

cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.64:*****:
cpe:2.3:a:oracle:mysql:5.1.65:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.26:*****:
cpe:2.3:a:oracle:mysql:5.5.27:*****:
cpe:2.3:a:oracle:mysql:5.5.28:*****:

cpe:2.3:a:oracle:mysql:5.5.3:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.5.4:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.5.5:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.5.6:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.5.7:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.5.9:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.1:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.10:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.11:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.12:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.13:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.14:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.15:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.16:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.17:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.18:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.19:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.2:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.20:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.21:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.22:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.23:a:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.24:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.25:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.26:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.27:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.28:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.29:~::~~::~~::
cpe:2.3:a:oracle:mysql:5.1.3:~::~~::~~::

cpe:2.3:a:oracle:mysql:5.1.30:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.33:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.35:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.36:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.38:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.39:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.4:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.40:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.41:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.42:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.43:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.44:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.45:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.46:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.47:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.48:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.49:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.50:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.51:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.52:****:*:*:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:****:*:*:

cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.64:*****:
cpe:2.3:a:oracle:mysql:5.1.65:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:

```
cpe:2.3:a:oracle:mysql:5.5.23:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.26:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.3:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.4:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.5.5:*:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:*.*:*.*:*.*:*.*:*.:
```

```
cpe:2.3:a:oracle:mysql:*.:.:.:.:.:.:.:
```

```
cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*:*:*:*:*.*.*
```

```
cpe:2.3:o:redhat:enterprise_linux_eus:6.3:*:*:*:*:*:*
```

```
cpe:2.3:o:redhat:enterprise_linux_server:6.0:*:*:*:*:*.*
```

```
cpe:2.3:o:redhat:enterprise linux workstation:6.0:*:*:*:*:*:
```

[← Previous ID](#)

Next ID→