



CVE-2013-1511

Published on: 04/17/2013 12:00:00 AM UTC

Last Modified on: 09/16/2022 07:56:00 PM UTC


CVE-2013-1511

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Mariadb](#) from [Mariadb](#) contain the following vulnerability:

Unspecified vulnerability in Oracle MySQL 5.5.30 and earlier and 5.6.10 and earlier allows remote authenticated users to affect availability via unknown vectors related to InnoDB.

CVE-2013-1511 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **3.5 - LOW**

Access
Vector

Access
Complexity

Authentication

NETWORK

MEDIUM

SINGLE

Confidentiality
Impact

Integrity
Impact

Availability
Impact

NONE

NONE

PARTIAL

CVE References

Description

Tags

Link

Oracle Critical Patch Update - April 2013

Vendor Advisory
[www.oracle.com
text/html](http://www.oracle.com/text/html)

CONFIRM
www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html

About Secunia Research | Flexera

Permissions Required
secunia.com
Deprecated Link
[text/plain](#)

SECUNIA 53372

Oracle Solaris Third Party Bulletin - October 2015

Vendor Advisory
[www.oracle.com
text/html](http://www.oracle.com/text/html)

CONFIRM
www.oracle.com/technetwork/topics/security/bulletinoct2015-2511968.html

Support / Security / Advisories // MDVSA-2013:150 | Mandriva

Broken Link
[www.mandriva.com
text/html](http://www.mandriva.com/text/html)

MANDRIVA MDVSA-2013:150

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Mariadb	Mariadb	All	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.29	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All

Application	Oracle	Mysql	Oracle	...	...	...
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.6.0	All	All	All
Application	Oracle	Mysql	5.6.1	All	All	All
Application	Oracle	Mysql	5.6.2	All	All	All
Application	Oracle	Mysql	5.6.3	All	All	All
Application	Oracle	Mysql	5.6.4	All	All	All
Application	Oracle	Mysql	5.6.5	All	All	All
Application	Oracle	Mysql	5.6.6	All	All	All
Application	Oracle	Mysql	5.6.7	All	All	All
Application	Oracle	Mysql	5.6.8	All	All	All
Application	Oracle	Mysql	5.6.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All

Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.29	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.6.0	All	All	All
Application	Oracle	Mysql	5.6.1	All	All	All
Application	Oracle	Mysql	5.6.2	All	All	All
Application	Oracle	Mysql	5.6.3	All	All	All
Application	Oracle	Mysql	5.6.4	All	All	All
Application	Oracle	Mysql	5.6.5	All	All	All
Application	Oracle	Mysql	5.6.6	All	All	All
Application	Oracle	Mysql	5.6.7	All	All	All
Application	Oracle	Mysql	5.6.8	All	All	All
Application	Oracle	Mysql	5.6.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Oracle	Solaris	11.3	All	All	All
Operating System	Oracle	Solaris	11.3	All	All	All
cpe:2.3:a:mariadb:mariadb:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.0:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.1:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.10:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.11:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.12:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.13:*.***.***.***:						
cpe:2.3:a:oracle:mysql:5.5.14:*.***.***.***:						

```
cpe:2.3:a:oracle:mysql:5.5.15:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.16:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.18:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.19:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.20:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.21:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.22:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.23:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.26:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.29:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.2:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mvsql:5.6.5:*:*:*:*:*:*:
```

የጥቅም ሲሆን ሌሎች ምሳሌዎችም ሊኖሩ ይችላሉ፡፡

```
cpe:2.3:a:oracle:mysql:5.6.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.8:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.10:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.11:::*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.12:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.13:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.14:*.:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.15:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.16:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.18:::*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.19:::*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.20:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.21:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.22:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.23:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.26:*.:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.29:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:5.6.0:*****:
cpe:2.3:a:oracle:mysql:5.6.1:*****:
cpe:2.3:a:oracle:mysql:5.6.2:*****:
cpe:2.3:a:oracle:mysql:5.6.3:*****:
cpe:2.3:a:oracle:mysql:5.6.4:*****:
cpe:2.3:a:oracle:mysql:5.6.5:*****:
cpe:2.3:a:oracle:mysql:5.6.6:*****:
cpe:2.3:a:oracle:mysql:5.6.7:*****:
cpe:2.3:a:oracle:mysql:5.6.8:*****:
cpe:2.3:a:oracle:mysql:5.6.9:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:o:oracle:solaris:11.3:*****:
cpe:2.3:o:oracle:solaris:11.3:*****:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID →](#)