



CVE-2013-1521

Published on: 04/17/2013 12:00:00 AM UTC

Last Modified on: 07/18/2022 06:42:00 PM UTC


CVE-2013-1521

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Mariadb](#) from [Mariadb](#) contain the following vulnerability:

Unspecified vulnerability in Oracle MySQL 5.1.67 and earlier and 5.5.29 and earlier allows remote authenticated users to affect confidentiality, integrity, and availability via unknown vectors related to Server Locking.

CVE-2013-1521 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **6.5 - MEDIUM**

Access
Vector

Access
Complexity

Authentication

NETWORK

LOW

SINGLE

Confidentiality
Impact

Integrity
Impact

Availability
Impact

PARTIAL

PARTIAL

PARTIAL

CVE References

Description

Tags

Link

Oracle Critical Patch Update - April 2013

[Vendor Advisory](#)
[www.oracle.com](#)
[text/html](#)

CONFIRM
www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html

About Secunia Research | Flexera

[secunia.com](#)
[Deprecated Link](#)
[text/plain](#)

SECUNIA 53372

Red Hat Customer Portal

[web.archive.org](#)
[text/html](#)
[Inactive Link](#) [Not Archived](#)

REDHAT RHSA-2013:0772

Support / Security / Advisories // MDVSA-2013:150 | Mandriva

[www.mandriva.com](#)
[text/html](#)

MANDRIVA MDVSA-2013:150

Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities

[security.gentoo.org](#)
[text/html](#)

GENTOO GLSA-201308-06

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Mariadb	Mariadb	All	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Oracle	Mysql	5.1	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All

Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All

Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.1.66	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All

Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.1	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All

Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mvsol	5.1.57	All	All	All

Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.1.66	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All

Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Redhat	Enterprise Linux Desktop	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Eus	6.4	All	All	All
Operating System	Redhat	Enterprise Linux Server	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Server Aus	6.4	All	All	All
Operating System	Redhat	Enterprise Linux Workstation	6.0	All	All	All
cpe:2.3:a:mariadb:mariadb:*:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:						
cpe:2.3:a:oracle:mysql:5.1:*:*:*:*:*:						
cpe:2.3:a:oracle:mysql:5.1.1:*:*:*:*:*:						

cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:
cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:
cpe:2.3:a:oracle:mysql:5.1.23:a:*****:
cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:
cpe:2.3:a:oracle:mysql:5.1.3:*****:
cpe:2.3:a:oracle:mysql:5.1.30:*****:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:

cpe:2.3:a:oracle:mysql:5.1.37:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.38:****:*:
cpe:2.3:a:oracle:mysql:5.1.39:****:*:
cpe:2.3:a:oracle:mysql:5.1.4:****:*:
cpe:2.3:a:oracle:mysql:5.1.40:****:*:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.41:****:*:
cpe:2.3:a:oracle:mysql:5.1.42:****:*:
cpe:2.3:a:oracle:mysql:5.1.43:****:*:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.44:****:*:
cpe:2.3:a:oracle:mysql:5.1.45:****:*:
cpe:2.3:a:oracle:mysql:5.1.46:****:*:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.47:****:*:
cpe:2.3:a:oracle:mysql:5.1.48:****:*:
cpe:2.3:a:oracle:mysql:5.1.49:****:*:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.50:****:*:
cpe:2.3:a:oracle:mysql:5.1.51:****:*:
cpe:2.3:a:oracle:mysql:5.1.52:****:*:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:****:*:
cpe:2.3:a:oracle:mysql:5.1.53:****:*:
cpe:2.3:a:oracle:mysql:5.1.54:****:*:
cpe:2.3:a:oracle:mysql:5.1.55:****:*:
cpe:2.3:a:oracle:mysql:5.1.56:****:*:
cpe:2.3:a:oracle:mysql:5.1.57:****:*:
cpe:2.3:a:oracle:mysql:5.1.58:****:*:
cpe:2.3:a:oracle:mysql:5.1.59:****:*:

cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.64:*****:
cpe:2.3:a:oracle:mysql:5.1.65:*****:
cpe:2.3:a:oracle:mysql:5.1.66:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:

```
cpe:2.3:a:oracle:mysql:5.5.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.26:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.3:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.5.4:*:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.5.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.10:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.11:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.12:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.13:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.14:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.15:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.16:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.18:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.19:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.20:*.:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.21:.*:.*:.*:.*:.*:.*:.*
```

```
cpe:2.3:a:oracle:mysql:5.1.22:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.23:a:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:
cpe:2.3:a:oracle:mysql:5.1.3:*****:
cpe:2.3:a:oracle:mysql:5.1.30:*****:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:

```
cpe:2.3:a:oracle:mysql:5.1.48:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.49:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.50:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.51::*:*:*:*:*:*:*
```

```
cpe:2.3:a:oracle:mysql:5.1.52:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.53:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.54:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.55:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.56:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.57:*:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.1.58:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.59:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.60:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.61:.*:.*:.*:.*:.*:.*:.*
```

```
cpe:2.3:a:oracle:mysql:5.1.62:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.63:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.64:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.65:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.66:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.7:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.8:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.9:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.10:*:*:*:*:*:
```

000-2 3:2:02010:mvsnl-5 5 11.*.*.*.*.*.*.

cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mysql:5.5.22:*****:
cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.26:*****:
cpe:2.3:a:oracle:mysql:5.5.27:*****:
cpe:2.3:a:oracle:mysql:5.5.28:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:a:oracle:mysql:*****:
cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*****:

cpe:2.3:o:redhat:enterprise_linux_eus:6.4:*:*:*:*:*:	
cpe:2.3:o:redhat:enterprise_linux_server:6.0:*:*:*:*:*:	
cpe:2.3:o:redhat:enterprise_linux_server_aus:6.4:*:*:*:*:*:	
cpe:2.3:o:redhat:enterprise_linux_workstation:6.0:*:*:*:*:*:	
No vendor comments have been submitted for this CVE	
← Previous ID	Next ID→

© CVE.report 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)