




# CVE-2013-1532

Published on: 04/17/2013 12:00:00 AM UTC

Last Modified on: 08/26/2022 04:20:00 PM UTC

## CVE-2013-1532

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Mariadb](#) from [Mariadb](#) contain the following vulnerability:

Unspecified vulnerability in Oracle MySQL 5.1.68 and earlier, 5.5.30 and earlier, and 5.6.10 and earlier allows remote authenticated users to affect availability via unknown vectors related to Information Schema.

CVE-2013-1532 has been assigned by [secalert\\_us@oracle.com](mailto:secalert_us@oracle.com) to track the vulnerability

CVSS2 Score: **4 - MEDIUM**

Access  
Vector

**NETWORK**

Access  
Complexity

**LOW**

Authentication

**SINGLE**

Confidentiality  
Impact

**NONE**

Integrity  
Impact

**NONE**

Availability  
Impact

**PARTIAL**

## CVE References

Description

Tags

Link

Oracle Critical Patch Update - April 2013

[Vendor Advisory](#)  
[www.oracle.com](#)  
[text/html](#)

[CONFIRM](#)  
[www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html](http://www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html)

About Secunia Research | Flexera

[secunia.com](#)  
[Deprecated Link](#)  
[text/plain](#)

[SECUNIA 53372](#)

Red Hat Customer Portal

[web.archive.org](#)  
[text/html](#)  
[Inactive Link](#) [Not Archived](#)

[REDHAT RHSA-2013:0772](#)

Support / Security / Advisories // MDVSA-2013:150 | Mandriva

[www.mandriva.com](#)  
[text/html](#)

[MANDRIVA MDVSA-2013:150](#)

Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities

[security.gentoo.org](#)  
[text/html](#)

[GENTOO GLSA-201308-06](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](mailto:comment@cve.report).

There are currently no QIDs associated with this CVE

#### Known Affected Configurations (CPE V2.3)

| Type        | Vendor                  | Product                 | Version | Update | Edition | Language |
|-------------|-------------------------|-------------------------|---------|--------|---------|----------|
| Application | <a href="#">Mariadb</a> | <a href="#">Mariadb</a> | All     | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.51  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.52  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.52  | sp1    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.53  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.54  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.55  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.56  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.57  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.58  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.59  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.60  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.61  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.62  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.63  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.64  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.65  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.66  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.67  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.10  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.11  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.12  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.13  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.14  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.15  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.16  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.5.17  | All    | All     | All      |

|             |        |       |        |     |     |     |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.5.18 | All | All | All |
| Application | Oracle | Mysql | 5.5.19 | All | All | All |
| Application | Oracle | Mysql | 5.5.20 | All | All | All |
| Application | Oracle | Mysql | 5.5.21 | All | All | All |
| Application | Oracle | Mysql | 5.5.22 | All | All | All |
| Application | Oracle | Mysql | 5.5.23 | All | All | All |
| Application | Oracle | Mysql | 5.5.24 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | a   | All | All |
| Application | Oracle | Mysql | 5.5.26 | All | All | All |
| Application | Oracle | Mysql | 5.5.27 | All | All | All |
| Application | Oracle | Mysql | 5.5.28 | All | All | All |
| Application | Oracle | Mysql | 5.5.29 | All | All | All |
| Application | Oracle | Mysql | 5.6.0  | All | All | All |
| Application | Oracle | Mysql | 5.6.1  | All | All | All |
| Application | Oracle | Mysql | 5.6.2  | All | All | All |
| Application | Oracle | Mysql | 5.6.3  | All | All | All |
| Application | Oracle | Mysql | 5.6.4  | All | All | All |
| Application | Oracle | Mysql | 5.6.5  | All | All | All |
| Application | Oracle | Mysql | 5.6.6  | All | All | All |
| Application | Oracle | Mysql | 5.6.7  | All | All | All |
| Application | Oracle | Mysql | 5.6.8  | All | All | All |
| Application | Oracle | Mysql | 5.6.9  | All | All | All |
| Application | Oracle | Mysql | 5.1.51 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.53 | All | All | All |
| Application | Oracle | Mysql | 5.1.54 | All | All | All |
| Application | Oracle | Mysql | 5.1.55 | All | All | All |
| Application | Oracle | Mysql | 5.1.56 | All | All | All |
| Application | Oracle | Mysql | 5.1.57 | All | All | All |
| Application | Oracle | Mysql | 5.1.58 | All | All | All |
| Application | Oracle | Mysql | 5.1.59 | All | All | All |
| Application | Oracle | Mysql | 5.1.60 | All | All | All |
| Application | Oracle | Mysql | 5.1.61 | All | All | All |
| Application | Oracle | Mysql | 5.1.62 | All | All | All |

| Application | Oracle | Mysql | 5.1.62 | All | All | All |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.1.63 | All | All | All |
| Application | Oracle | Mysql | 5.1.64 | All | All | All |
| Application | Oracle | Mysql | 5.1.65 | All | All | All |
| Application | Oracle | Mysql | 5.1.66 | All | All | All |
| Application | Oracle | Mysql | 5.1.67 | All | All | All |
| Application | Oracle | Mysql | 5.5.10 | All | All | All |
| Application | Oracle | Mysql | 5.5.11 | All | All | All |
| Application | Oracle | Mysql | 5.5.12 | All | All | All |
| Application | Oracle | Mysql | 5.5.13 | All | All | All |
| Application | Oracle | Mysql | 5.5.14 | All | All | All |
| Application | Oracle | Mysql | 5.5.15 | All | All | All |
| Application | Oracle | Mysql | 5.5.16 | All | All | All |
| Application | Oracle | Mysql | 5.5.17 | All | All | All |
| Application | Oracle | Mysql | 5.5.18 | All | All | All |
| Application | Oracle | Mysql | 5.5.19 | All | All | All |
| Application | Oracle | Mysql | 5.5.20 | All | All | All |
| Application | Oracle | Mysql | 5.5.21 | All | All | All |
| Application | Oracle | Mysql | 5.5.22 | All | All | All |
| Application | Oracle | Mysql | 5.5.23 | All | All | All |
| Application | Oracle | Mysql | 5.5.24 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | a   | All | All |
| Application | Oracle | Mysql | 5.5.26 | All | All | All |
| Application | Oracle | Mysql | 5.5.27 | All | All | All |
| Application | Oracle | Mysql | 5.5.28 | All | All | All |
| Application | Oracle | Mysql | 5.5.29 | All | All | All |
| Application | Oracle | Mysql | 5.6.0  | All | All | All |
| Application | Oracle | Mysql | 5.6.1  | All | All | All |
| Application | Oracle | Mysql | 5.6.2  | All | All | All |
| Application | Oracle | Mysql | 5.6.3  | All | All | All |
| Application | Oracle | Mysql | 5.6.4  | All | All | All |
| Application | Oracle | Mysql | 5.6.5  | All | All | All |
| Application | Oracle | Mysql | 5.6.6  | All | All | All |
| Application | Oracle | Mysql | 5.6.7  | All | All | All |
| Application | Oracle | Mysql | 5.6.8  | All | All | All |

|                                                    |        |                              |       |     |     |     |
|----------------------------------------------------|--------|------------------------------|-------|-----|-----|-----|
| Application                                        | Oracle | Mysql                        | 5.6.9 | All | All | All |
| Application                                        | Oracle | Mysql                        | All   | All | All | All |
| Application                                        | Oracle | Mysql                        | All   | All | All | All |
| Application                                        | Oracle | Mysql                        | All   | All | All | All |
| Operating System                                   | Redhat | Enterprise Linux Desktop     | 6.0   | All | All | All |
| Operating System                                   | Redhat | Enterprise Linux Eus         | 6.4   | All | All | All |
| Operating System                                   | Redhat | Enterprise Linux Server      | 6.0   | All | All | All |
| Operating System                                   | Redhat | Enterprise Linux Server Aus  | 6.4   | All | All | All |
| Operating System                                   | Redhat | Enterprise Linux Workstation | 6.0   | All | All | All |
| cpe:2.3:a:mariadb:mariadb:*.**:*.**:*.**:.         |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.51:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.52:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.52:sp1:*.**:*.**:*.**:. |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.53:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.54:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.55:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.56:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.57:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.58:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.59:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.60:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.61:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.62:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.63:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.64:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.65:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.66:*.**:*.**:*.**:.     |        |                              |       |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.67:*.**:*.**:*.**:.     |        |                              |       |     |     |     |

|                                        |
|----------------------------------------|
| cpe:2.3:a:oracle:mysql:5.5.10:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.11:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.12:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.13:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.14:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.15:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.16:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.17:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.18:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.19:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.20:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.21:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.22:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.23:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.24:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:a:*****: |
| cpe:2.3:a:oracle:mysql:5.5.26:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.27:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.28:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.29:*****:   |
| cpe:2.3:a:oracle:mysql:5.6.0:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.1:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.2:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.3:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.4:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.5:*****:    |
| cpe:2.3:a:oracle:mysql:5.6.6:*****:    |

|                                          |
|------------------------------------------|
| cpe:2.3:a:oracle:mysql:5.6.7:*****:      |
| cpe:2.3:a:oracle:mysql:5.6.8:*****:      |
| cpe:2.3:a:oracle:mysql:5.6.9:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.51:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.53:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.54:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.55:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.56:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.57:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.58:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.59:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.60:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.61:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.62:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.63:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.64:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.65:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.66:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.67:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.10:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.11:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.12:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.13:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.14:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.15:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.16:*****:     |
| cpe:2.3:a:oracle:mysql:5.5.17:*****:     |

|                                                      |
|------------------------------------------------------|
|                                                      |
| cpe:2.3:a:oracle:mysql:5.5.18:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.19:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.20:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.21:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.22:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.23:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.24:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.25:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.25:a:*****:               |
| cpe:2.3:a:oracle:mysql:5.5.26:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.27:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.28:*****:                 |
| cpe:2.3:a:oracle:mysql:5.5.29:*****:                 |
| cpe:2.3:a:oracle:mysql:5.6.0:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.1:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.2:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.3:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.4:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.5:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.6:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.7:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.8:*****:                  |
| cpe:2.3:a:oracle:mysql:5.6.9:*****:                  |
| cpe:2.3:a:oracle:mysql:*****:                        |
| cpe:2.3:a:oracle:mysql:*****:                        |
| cpe:2.3:a:oracle:mysql:*****:                        |
| cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*****: |
| cpe:2.3:o:redhat:enterprise_linux_eus:6.4:*****:     |
|                                                      |



cpe:2.3:o:redhat:enterprise\_linux\_server:6.0:\*:\*:\*:\*:\*:

cpe:2.3:o:redhat:enterprise\_linux\_server\_aus:6.4:\*:\*:\*:\*:\*:

cpe:2.3:o:redhat:enterprise\_linux\_workstation:6.0:\*:\*:\*:\*:\*:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID→](#)

© [CVE.report](#) 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

**CVE.report and Source URL Uptime Status** [status.cve.report](#)