



CVE-2013-1555

Published on: 04/17/2013 12:00:00 AM UTC

Last Modified on: 08/26/2022 04:18:00 PM UTC


CVE-2013-1555

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Mariadb](#) from [Mariadb](#) contain the following vulnerability:

Unspecified vulnerability in Oracle MySQL 5.1.67 and earlier, and 5.5.29 and earlier, allows remote authenticated users to affect availability via unknown vectors related to Server Partition.

CVE-2013-1555 has been assigned by secalert_us@oracle.com to track the vulnerability

CVSS2 Score: **4 - MEDIUM**

Access
Vector

NETWORK

Access
Complexity

LOW

Authentication

SINGLE

Confidentiality
Impact

NONE

Integrity
Impact

NONE

Availability
Impact

PARTIAL

CVE References

Description

Tags

Link

Oracle Critical Patch Update - April 2013

[Vendor Advisory](#)
[www.oracle.com](#)
[text/html](#)

CONFIRM
www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html

About Secunia Research | Flexera

[secunia.com](#)
[Deprecated Link](#)
[text/plain](#)

SECUNIA 53372

Red Hat Customer Portal

[web.archive.org](#)
[text/html](#)
[Inactive Link](#) [Not Archived](#)

REDHAT RHSA-2013:0772

Support / Security / Advisories / / MDVSA-2013:150 | Mandriva

[www.mandriva.com](#)
[text/html](#)

MANDRIVA MDVSA-2013:150

Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities

[security.gentoo.org](#)
[text/html](#)

GENTOO GLSA-201308-06

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Mariadb	Mariadb	All	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Mysql	Mysql	5.1.23	All	All	All
Application	Mysql	Mysql	5.1.31	All	All	All
Application	Mysql	Mysql	5.1.32	All	All	All
Application	Mysql	Mysql	5.1.34	All	All	All
Application	Mysql	Mysql	5.1.37	All	All	All
Application	Mysql	Mysql	5.1.5	All	All	All
Application	Oracle	Mysql	5.1	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All

Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All
Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All

Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mysql	5.1.56	All	All	All
Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.1.66	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All

Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All
Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.8	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	5.1	All	All	All
Application	Oracle	Mysql	5.1.1	All	All	All
Application	Oracle	Mysql	5.1.10	All	All	All
Application	Oracle	Mysql	5.1.11	All	All	All
Application	Oracle	Mysql	5.1.12	All	All	All
Application	Oracle	Mysql	5.1.13	All	All	All
Application	Oracle	Mysql	5.1.14	All	All	All
Application	Oracle	Mysql	5.1.15	All	All	All
Application	Oracle	Mysql	5.1.16	All	All	All
Application	Oracle	Mysql	5.1.17	All	All	All
Application	Oracle	Mysql	5.1.18	All	All	All
Application	Oracle	Mysql	5.1.19	All	All	All
Application	Oracle	Mysql	5.1.2	All	All	All
Application	Oracle	Mysql	5.1.20	All	All	All
Application	Oracle	Mysql	5.1.21	All	All	All
Application	Oracle	Mysql	5.1.22	All	All	All
Application	Oracle	Mysql	5.1.23	a	All	All
Application	Oracle	Mysql	5.1.24	All	All	All
Application	Oracle	Mysql	5.1.25	All	All	All
Application	Oracle	Mysql	5.1.26	All	All	All

Application	Oracle	Mysql	5.1.27	All	All	All
Application	Oracle	Mysql	5.1.28	All	All	All
Application	Oracle	Mysql	5.1.29	All	All	All
Application	Oracle	Mysql	5.1.3	All	All	All
Application	Oracle	Mysql	5.1.30	All	All	All
Application	Oracle	Mysql	5.1.31	sp1	All	All
Application	Oracle	Mysql	5.1.33	All	All	All
Application	Oracle	Mysql	5.1.34	sp1	All	All
Application	Oracle	Mysql	5.1.35	All	All	All
Application	Oracle	Mysql	5.1.36	All	All	All
Application	Oracle	Mysql	5.1.37	sp1	All	All
Application	Oracle	Mysql	5.1.38	All	All	All
Application	Oracle	Mysql	5.1.39	All	All	All
Application	Oracle	Mysql	5.1.4	All	All	All
Application	Oracle	Mysql	5.1.40	All	All	All
Application	Oracle	Mysql	5.1.40	sp1	All	All
Application	Oracle	Mysql	5.1.41	All	All	All
Application	Oracle	Mysql	5.1.42	All	All	All
Application	Oracle	Mysql	5.1.43	All	All	All
Application	Oracle	Mysql	5.1.43	sp1	All	All
Application	Oracle	Mysql	5.1.44	All	All	All
Application	Oracle	Mysql	5.1.45	All	All	All
Application	Oracle	Mysql	5.1.46	All	All	All
Application	Oracle	Mysql	5.1.46	sp1	All	All
Application	Oracle	Mysql	5.1.47	All	All	All
Application	Oracle	Mysql	5.1.48	All	All	All
Application	Oracle	Mysql	5.1.49	All	All	All
Application	Oracle	Mysql	5.1.49	sp1	All	All
Application	Oracle	Mysql	5.1.50	All	All	All
Application	Oracle	Mysql	5.1.51	All	All	All
Application	Oracle	Mysql	5.1.52	All	All	All
Application	Oracle	Mysql	5.1.52	sp1	All	All
Application	Oracle	Mysql	5.1.53	All	All	All
Application	Oracle	Mysql	5.1.54	All	All	All
Application	Oracle	Mysql	5.1.55	All	All	All
Application	Oracle	Mvsol	5.1.56	All	All	All

Application	Oracle	Mysql	5.1.57	All	All	All
Application	Oracle	Mysql	5.1.58	All	All	All
Application	Oracle	Mysql	5.1.59	All	All	All
Application	Oracle	Mysql	5.1.6	All	All	All
Application	Oracle	Mysql	5.1.60	All	All	All
Application	Oracle	Mysql	5.1.61	All	All	All
Application	Oracle	Mysql	5.1.62	All	All	All
Application	Oracle	Mysql	5.1.63	All	All	All
Application	Oracle	Mysql	5.1.64	All	All	All
Application	Oracle	Mysql	5.1.65	All	All	All
Application	Oracle	Mysql	5.1.66	All	All	All
Application	Oracle	Mysql	5.1.7	All	All	All
Application	Oracle	Mysql	5.1.8	All	All	All
Application	Oracle	Mysql	5.1.9	All	All	All
Application	Oracle	Mysql	5.5.0	All	All	All
Application	Oracle	Mysql	5.5.1	All	All	All
Application	Oracle	Mysql	5.5.10	All	All	All
Application	Oracle	Mysql	5.5.11	All	All	All
Application	Oracle	Mysql	5.5.12	All	All	All
Application	Oracle	Mysql	5.5.13	All	All	All
Application	Oracle	Mysql	5.5.14	All	All	All
Application	Oracle	Mysql	5.5.15	All	All	All
Application	Oracle	Mysql	5.5.16	All	All	All
Application	Oracle	Mysql	5.5.17	All	All	All
Application	Oracle	Mysql	5.5.18	All	All	All
Application	Oracle	Mysql	5.5.19	All	All	All
Application	Oracle	Mysql	5.5.2	All	All	All
Application	Oracle	Mysql	5.5.20	All	All	All
Application	Oracle	Mysql	5.5.21	All	All	All
Application	Oracle	Mysql	5.5.22	All	All	All
Application	Oracle	Mysql	5.5.23	All	All	All
Application	Oracle	Mysql	5.5.24	All	All	All
Application	Oracle	Mysql	5.5.25	All	All	All
Application	Oracle	Mysql	5.5.25	a	All	All
Application	Oracle	Mysql	5.5.26	All	All	All

Application	Oracle	Mysql	5.5.27	All	All	All
Application	Oracle	Mysql	5.5.28	All	All	All
Application	Oracle	Mysql	5.5.3	All	All	All
Application	Oracle	Mysql	5.5.4	All	All	All
Application	Oracle	Mysql	5.5.5	All	All	All
Application	Oracle	Mysql	5.5.6	All	All	All
Application	Oracle	Mysql	5.5.7	All	All	All
Application	Oracle	Mysql	5.5.8	All	All	All
Application	Oracle	Mysql	5.5.9	All	All	All
Application	Oracle	Mysql	All	All	All	All
Application	Oracle	Mysql	All	All	All	All
Operating System	Redhat	Enterprise Linux Desktop	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Eus	6.4	All	All	All
Operating System	Redhat	Enterprise Linux Server	6.0	All	All	All
Operating System	Redhat	Enterprise Linux Server Eus	6.4	All	All	All
Operating System	Redhat	Enterprise Linux Workstation	6.0	All	All	All
cpe:2.3:a:mariadb:mariadb:*:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:						
cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:						

```
cpe:2.3:a:oracle:mysql:5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.1:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.10:*:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.1.11:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.12:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.13:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.14:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.15:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.16:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.18:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.19:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.20:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.21:::*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.22:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.23:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.26:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.29:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.30:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.33:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.35:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:
cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:
cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:

cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.64:*****:
cpe:2.3:a:oracle:mysql:5.1.65:*****:
cpe:2.3:a:oracle:mysql:5.1.66:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:
cpe:2.3:a:oracle:mysql:5.5.1:*****:
cpe:2.3:a:oracle:mysql:5.5.10:*****:
cpe:2.3:a:oracle:mysql:5.5.11:*****:
cpe:2.3:a:oracle:mysql:5.5.12:*****:
cpe:2.3:a:oracle:mysql:5.5.13:*****:
cpe:2.3:a:oracle:mysql:5.5.14:*****:
cpe:2.3:a:oracle:mysql:5.5.15:*****:
cpe:2.3:a:oracle:mysql:5.5.16:*****:
cpe:2.3:a:oracle:mysql:5.5.17:*****:
cpe:2.3:a:oracle:mysql:5.5.18:*****:
cpe:2.3:a:oracle:mysql:5.5.19:*****:
cpe:2.3:a:oracle:mysql:5.5.2:*****:
cpe:2.3:a:oracle:mysql:5.5.20:*****:
cpe:2.3:a:oracle:mysql:5.5.21:*****:
cpe:2.3:a:oracle:mvsq:5.5.22:*****:

cpe:2.3:a:oracle:mysql:5.5.23:*****:
cpe:2.3:a:oracle:mysql:5.5.24:*****:
cpe:2.3:a:oracle:mysql:5.5.25:*****:
cpe:2.3:a:oracle:mysql:5.5.25:a:*****:
cpe:2.3:a:oracle:mysql:5.5.26:*****:
cpe:2.3:a:oracle:mysql:5.5.27:*****:
cpe:2.3:a:oracle:mysql:5.5.28:*****:
cpe:2.3:a:oracle:mysql:5.5.3:*****:
cpe:2.3:a:oracle:mysql:5.5.4:*****:
cpe:2.3:a:oracle:mysql:5.5.5:*****:
cpe:2.3:a:oracle:mysql:5.5.6:*****:
cpe:2.3:a:oracle:mysql:5.5.7:*****:
cpe:2.3:a:oracle:mysql:5.5.8:*****:
cpe:2.3:a:oracle:mysql:5.5.9:*****:
cpe:2.3:a:oracle:mysql:5.1:*****:
cpe:2.3:a:oracle:mysql:5.1.1:*****:
cpe:2.3:a:oracle:mysql:5.1.10:*****:
cpe:2.3:a:oracle:mysql:5.1.11:*****:
cpe:2.3:a:oracle:mysql:5.1.12:*****:
cpe:2.3:a:oracle:mysql:5.1.13:*****:
cpe:2.3:a:oracle:mysql:5.1.14:*****:
cpe:2.3:a:oracle:mysql:5.1.15:*****:
cpe:2.3:a:oracle:mysql:5.1.16:*****:
cpe:2.3:a:oracle:mysql:5.1.17:*****:
cpe:2.3:a:oracle:mysql:5.1.18:*****:
cpe:2.3:a:oracle:mysql:5.1.19:*****:
cpe:2.3:a:oracle:mysql:5.1.2:*****:
cpe:2.3:a:oracle:mysql:5.1.20:*****:

cpe:2.3:a:oracle:mysql:5.1.21:*****:
cpe:2.3:a:oracle:mysql:5.1.22:*****:
cpe:2.3:a:oracle:mysql:5.1.23:a:*****:
cpe:2.3:a:oracle:mysql:5.1.24:*****:
cpe:2.3:a:oracle:mysql:5.1.25:*****:
cpe:2.3:a:oracle:mysql:5.1.26:*****:
cpe:2.3:a:oracle:mysql:5.1.27:*****:
cpe:2.3:a:oracle:mysql:5.1.28:*****:
cpe:2.3:a:oracle:mysql:5.1.29:*****:
cpe:2.3:a:oracle:mysql:5.1.3:*****:
cpe:2.3:a:oracle:mysql:5.1.30:*****:
cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.33:*****:
cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.35:*****:
cpe:2.3:a:oracle:mysql:5.1.36:*****:
cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.38:*****:
cpe:2.3:a:oracle:mysql:5.1.39:*****:
cpe:2.3:a:oracle:mysql:5.1.4:*****:
cpe:2.3:a:oracle:mysql:5.1.40:*****:
cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.41:*****:
cpe:2.3:a:oracle:mysql:5.1.42:*****:
cpe:2.3:a:oracle:mysql:5.1.43:*****:
cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.44:*****:
cpe:2.3:a:oracle:mysql:5.1.45:*****:
cpe:2.3:a:oracle:mysql:5.1.46:*****:

cpe:2.3:a:oracle:mysql:5.1.46:*****:
cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.47:*****:
cpe:2.3:a:oracle:mysql:5.1.48:*****:
cpe:2.3:a:oracle:mysql:5.1.49:*****:
cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.50:*****:
cpe:2.3:a:oracle:mysql:5.1.51:*****:
cpe:2.3:a:oracle:mysql:5.1.52:*****:
cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****:
cpe:2.3:a:oracle:mysql:5.1.53:*****:
cpe:2.3:a:oracle:mysql:5.1.54:*****:
cpe:2.3:a:oracle:mysql:5.1.55:*****:
cpe:2.3:a:oracle:mysql:5.1.56:*****:
cpe:2.3:a:oracle:mysql:5.1.57:*****:
cpe:2.3:a:oracle:mysql:5.1.58:*****:
cpe:2.3:a:oracle:mysql:5.1.59:*****:
cpe:2.3:a:oracle:mysql:5.1.6:*****:
cpe:2.3:a:oracle:mysql:5.1.60:*****:
cpe:2.3:a:oracle:mysql:5.1.61:*****:
cpe:2.3:a:oracle:mysql:5.1.62:*****:
cpe:2.3:a:oracle:mysql:5.1.63:*****:
cpe:2.3:a:oracle:mysql:5.1.64:*****:
cpe:2.3:a:oracle:mysql:5.1.65:*****:
cpe:2.3:a:oracle:mysql:5.1.66:*****:
cpe:2.3:a:oracle:mysql:5.1.7:*****:
cpe:2.3:a:oracle:mysql:5.1.8:*****:
cpe:2.3:a:oracle:mysql:5.1.9:*****:
cpe:2.3:a:oracle:mysql:5.5.0:*****:

```
cpe:2.3:a:oracle:mysql:5.5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.10:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.11:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.12:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.13:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.14:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.15:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.5.16:*:*:*:*:*:*:

```
cpe:2.3:a:oracle:mysql:5.5.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.18:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.19:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.20:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.21:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.22:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.23:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.24:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.25:a:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.26:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.27:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.28:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.8:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.5.9:~::~::~:
cpe:2.3:a:oracle:mysql:~::~::~:
cpe:2.3:a:oracle:mysql:~::~::~:
cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:~::~::~:
cpe:2.3:o:redhat:enterprise_linux_eus:6.4:~::~::~:
cpe:2.3:o:redhat:enterprise_linux_server:6.0:~::~::~:
cpe:2.3:o:redhat:enterprise_linux_server_eus:6.4:~::~::~:
cpe:2.3:o:redhat:enterprise_linux_workstation:6.0:~::~::~:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID→](#)