




# CVE-2013-2389

Published on: 04/17/2013 12:00:00 AM UTC

Last Modified on: 08/29/2022 08:53:00 PM UTC

## CVE-2013-2389

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Mariadb](#) from [Mariadb](#) contain the following vulnerability:

Unspecified vulnerability in Oracle MySQL 5.1.68 and earlier, 5.5.30 and earlier, and 5.6.10 and earlier allows remote authenticated users to affect availability via unknown vectors related to InnoDB.

CVE-2013-2389 has been assigned by [secalert\\_us@oracle.com](mailto:secalert_us@oracle.com) to track the vulnerability

CVSS2 Score: **4 - MEDIUM**

Access  
Vector

**NETWORK**

Access  
Complexity

**LOW**

Authentication

**SINGLE**

Confidentiality  
Impact

**NONE**

Integrity  
Impact

**NONE**

Availability  
Impact

**PARTIAL**

## CVE References

Description

Tags

Link

Oracle Critical Patch Update - April 2013

[Vendor Advisory](#)  
[www.oracle.com](#)  
[text/html](#)

**CONFIRM**  
[www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html](http://www.oracle.com/technetwork/topics/security/cpuapr2013-1899555.html)

About Secunia Research | Flexera

[secunia.com](#)  
[Deprecated Link](#)  
[text/plain](#)

**SECUNIA 53372**

Red Hat Customer Portal

[web.archive.org](#)  
[text/html](#)  
[Inactive Link](#) **Not Archived**

**REDHAT RHSA-2013:0772**

Support / Security / Advisories / / MDVSA-2013:150 | Mandriva

[www.mandriva.com](#)  
[text/html](#)

**MANDRIVA MDVSA-2013:150**

Gentoo Linux Documentation -- MySQL: Multiple vulnerabilities

[security.gentoo.org](#)  
[text/html](#)

**GENTOO GLSA-201308-06**

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](mailto:comment@cve.report).

There are currently no QIDs associated with this CVE

#### Known Affected Configurations (CPE V2.3)

| Type        | Vendor                  | Product                 | Version | Update | Edition | Language |
|-------------|-------------------------|-------------------------|---------|--------|---------|----------|
| Application | <a href="#">Mariadb</a> | <a href="#">Mariadb</a> | All     | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.23  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.31  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.32  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.34  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.37  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.5   | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.23  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.31  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.32  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.34  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.37  | All    | All     | All      |
| Application | <a href="#">Mysql</a>   | <a href="#">Mysql</a>   | 5.1.5   | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | All     | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1     | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.1   | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.10  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.11  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.12  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.13  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.14  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.15  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.16  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.17  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.18  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.19  | All    | All     | All      |
| Application | <a href="#">Oracle</a>  | <a href="#">Mysql</a>   | 5.1.2   | All    | All     | All      |

|             |        |       |        |     |     |     |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.1.20 | All | All | All |
| Application | Oracle | Mysql | 5.1.21 | All | All | All |
| Application | Oracle | Mysql | 5.1.22 | All | All | All |
| Application | Oracle | Mysql | 5.1.23 | a   | All | All |
| Application | Oracle | Mysql | 5.1.24 | All | All | All |
| Application | Oracle | Mysql | 5.1.25 | All | All | All |
| Application | Oracle | Mysql | 5.1.26 | All | All | All |
| Application | Oracle | Mysql | 5.1.27 | All | All | All |
| Application | Oracle | Mysql | 5.1.28 | All | All | All |
| Application | Oracle | Mysql | 5.1.29 | All | All | All |
| Application | Oracle | Mysql | 5.1.3  | All | All | All |
| Application | Oracle | Mysql | 5.1.30 | All | All | All |
| Application | Oracle | Mysql | 5.1.31 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.33 | All | All | All |
| Application | Oracle | Mysql | 5.1.34 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.35 | All | All | All |
| Application | Oracle | Mysql | 5.1.36 | All | All | All |
| Application | Oracle | Mysql | 5.1.37 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.38 | All | All | All |
| Application | Oracle | Mysql | 5.1.39 | All | All | All |
| Application | Oracle | Mysql | 5.1.4  | All | All | All |
| Application | Oracle | Mysql | 5.1.40 | All | All | All |
| Application | Oracle | Mysql | 5.1.40 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.41 | All | All | All |
| Application | Oracle | Mysql | 5.1.42 | All | All | All |
| Application | Oracle | Mysql | 5.1.43 | All | All | All |
| Application | Oracle | Mysql | 5.1.43 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.44 | All | All | All |
| Application | Oracle | Mysql | 5.1.45 | All | All | All |
| Application | Oracle | Mysql | 5.1.46 | All | All | All |
| Application | Oracle | Mysql | 5.1.46 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.47 | All | All | All |
| Application | Oracle | Mysql | 5.1.48 | All | All | All |
| Application | Oracle | Mysql | 5.1.49 | All | All | All |
| Application | Oracle | Mysql | 5.1.49 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.50 | All | All | All |

| Application | Oracle | Mysql | 5.1.50 | All | All | All |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.1.51 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.53 | All | All | All |
| Application | Oracle | Mysql | 5.1.54 | All | All | All |
| Application | Oracle | Mysql | 5.1.55 | All | All | All |
| Application | Oracle | Mysql | 5.1.56 | All | All | All |
| Application | Oracle | Mysql | 5.1.57 | All | All | All |
| Application | Oracle | Mysql | 5.1.58 | All | All | All |
| Application | Oracle | Mysql | 5.1.59 | All | All | All |
| Application | Oracle | Mysql | 5.1.6  | All | All | All |
| Application | Oracle | Mysql | 5.1.60 | All | All | All |
| Application | Oracle | Mysql | 5.1.61 | All | All | All |
| Application | Oracle | Mysql | 5.1.62 | All | All | All |
| Application | Oracle | Mysql | 5.1.63 | All | All | All |
| Application | Oracle | Mysql | 5.1.64 | All | All | All |
| Application | Oracle | Mysql | 5.1.65 | All | All | All |
| Application | Oracle | Mysql | 5.1.66 | All | All | All |
| Application | Oracle | Mysql | 5.1.67 | All | All | All |
| Application | Oracle | Mysql | 5.1.7  | All | All | All |
| Application | Oracle | Mysql | 5.1.8  | All | All | All |
| Application | Oracle | Mysql | 5.1.9  | All | All | All |
| Application | Oracle | Mysql | 5.5.0  | All | All | All |
| Application | Oracle | Mysql | 5.5.1  | All | All | All |
| Application | Oracle | Mysql | 5.5.10 | All | All | All |
| Application | Oracle | Mysql | 5.5.11 | All | All | All |
| Application | Oracle | Mysql | 5.5.12 | All | All | All |
| Application | Oracle | Mysql | 5.5.13 | All | All | All |
| Application | Oracle | Mysql | 5.5.14 | All | All | All |
| Application | Oracle | Mysql | 5.5.15 | All | All | All |
| Application | Oracle | Mysql | 5.5.16 | All | All | All |
| Application | Oracle | Mysql | 5.5.17 | All | All | All |
| Application | Oracle | Mysql | 5.5.18 | All | All | All |
| Application | Oracle | Mysql | 5.5.19 | All | All | All |
| Application | Oracle | Mysql | 5.5.2  | All | All | All |

|             |                        |                       |        |     |     |     |
|-------------|------------------------|-----------------------|--------|-----|-----|-----|
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.20 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.21 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.22 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.23 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.24 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.25 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.25 | a   | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.26 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.27 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.28 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.29 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.3  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.4  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.5  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.6  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.7  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.5.9  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.0  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.1  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.2  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.3  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.4  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.5  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.6  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.7  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.8  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.6.9  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1    | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.1  | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.10 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.11 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.12 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.13 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.14 | All | All | All |
| Application | <a href="#">Oracle</a> | <a href="#">Mysql</a> | 5.1.15 | All | All | All |

|             |        |       |        |     |     |     |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.1.16 | All | All | All |
| Application | Oracle | Mysql | 5.1.17 | All | All | All |
| Application | Oracle | Mysql | 5.1.18 | All | All | All |
| Application | Oracle | Mysql | 5.1.19 | All | All | All |
| Application | Oracle | Mysql | 5.1.2  | All | All | All |
| Application | Oracle | Mysql | 5.1.20 | All | All | All |
| Application | Oracle | Mysql | 5.1.21 | All | All | All |
| Application | Oracle | Mysql | 5.1.22 | All | All | All |
| Application | Oracle | Mysql | 5.1.23 | a   | All | All |
| Application | Oracle | Mysql | 5.1.24 | All | All | All |
| Application | Oracle | Mysql | 5.1.25 | All | All | All |
| Application | Oracle | Mysql | 5.1.26 | All | All | All |
| Application | Oracle | Mysql | 5.1.27 | All | All | All |
| Application | Oracle | Mysql | 5.1.28 | All | All | All |
| Application | Oracle | Mysql | 5.1.29 | All | All | All |
| Application | Oracle | Mysql | 5.1.3  | All | All | All |
| Application | Oracle | Mysql | 5.1.30 | All | All | All |
| Application | Oracle | Mysql | 5.1.31 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.33 | All | All | All |
| Application | Oracle | Mysql | 5.1.34 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.35 | All | All | All |
| Application | Oracle | Mysql | 5.1.36 | All | All | All |
| Application | Oracle | Mysql | 5.1.37 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.38 | All | All | All |
| Application | Oracle | Mysql | 5.1.39 | All | All | All |
| Application | Oracle | Mysql | 5.1.4  | All | All | All |
| Application | Oracle | Mysql | 5.1.40 | All | All | All |
| Application | Oracle | Mysql | 5.1.40 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.41 | All | All | All |
| Application | Oracle | Mysql | 5.1.42 | All | All | All |
| Application | Oracle | Mysql | 5.1.43 | All | All | All |
| Application | Oracle | Mysql | 5.1.43 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.44 | All | All | All |
| Application | Oracle | Mysql | 5.1.45 | All | All | All |
| Application | Oracle | Mysql | 5.1.46 | All | All | All |
| Application | Oracle | Mvsol | 5.1.46 | sp1 | All | All |

| Application | Oracle | Mysql | 5.1.47 | All | All | All |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.1.48 | All | All | All |
| Application | Oracle | Mysql | 5.1.49 | All | All | All |
| Application | Oracle | Mysql | 5.1.49 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.50 | All | All | All |
| Application | Oracle | Mysql | 5.1.51 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | All | All | All |
| Application | Oracle | Mysql | 5.1.52 | sp1 | All | All |
| Application | Oracle | Mysql | 5.1.53 | All | All | All |
| Application | Oracle | Mysql | 5.1.54 | All | All | All |
| Application | Oracle | Mysql | 5.1.55 | All | All | All |
| Application | Oracle | Mysql | 5.1.56 | All | All | All |
| Application | Oracle | Mysql | 5.1.57 | All | All | All |
| Application | Oracle | Mysql | 5.1.58 | All | All | All |
| Application | Oracle | Mysql | 5.1.59 | All | All | All |
| Application | Oracle | Mysql | 5.1.6  | All | All | All |
| Application | Oracle | Mysql | 5.1.60 | All | All | All |
| Application | Oracle | Mysql | 5.1.61 | All | All | All |
| Application | Oracle | Mysql | 5.1.62 | All | All | All |
| Application | Oracle | Mysql | 5.1.63 | All | All | All |
| Application | Oracle | Mysql | 5.1.64 | All | All | All |
| Application | Oracle | Mysql | 5.1.65 | All | All | All |
| Application | Oracle | Mysql | 5.1.66 | All | All | All |
| Application | Oracle | Mysql | 5.1.67 | All | All | All |
| Application | Oracle | Mysql | 5.1.7  | All | All | All |
| Application | Oracle | Mysql | 5.1.8  | All | All | All |
| Application | Oracle | Mysql | 5.1.9  | All | All | All |
| Application | Oracle | Mysql | 5.5.0  | All | All | All |
| Application | Oracle | Mysql | 5.5.1  | All | All | All |
| Application | Oracle | Mysql | 5.5.10 | All | All | All |
| Application | Oracle | Mysql | 5.5.11 | All | All | All |
| Application | Oracle | Mysql | 5.5.12 | All | All | All |
| Application | Oracle | Mysql | 5.5.13 | All | All | All |
| Application | Oracle | Mysql | 5.5.14 | All | All | All |
| Application | Oracle | Mysql | 5.5.15 | All | All | All |

|             |        |       |        |     |     |     |
|-------------|--------|-------|--------|-----|-----|-----|
| Application | Oracle | Mysql | 5.5.16 | All | All | All |
| Application | Oracle | Mysql | 5.5.17 | All | All | All |
| Application | Oracle | Mysql | 5.5.18 | All | All | All |
| Application | Oracle | Mysql | 5.5.19 | All | All | All |
| Application | Oracle | Mysql | 5.5.2  | All | All | All |
| Application | Oracle | Mysql | 5.5.20 | All | All | All |
| Application | Oracle | Mysql | 5.5.21 | All | All | All |
| Application | Oracle | Mysql | 5.5.22 | All | All | All |
| Application | Oracle | Mysql | 5.5.23 | All | All | All |
| Application | Oracle | Mysql | 5.5.24 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | All | All | All |
| Application | Oracle | Mysql | 5.5.25 | a   | All | All |
| Application | Oracle | Mysql | 5.5.26 | All | All | All |
| Application | Oracle | Mysql | 5.5.27 | All | All | All |
| Application | Oracle | Mysql | 5.5.28 | All | All | All |
| Application | Oracle | Mysql | 5.5.29 | All | All | All |
| Application | Oracle | Mysql | 5.5.3  | All | All | All |
| Application | Oracle | Mysql | 5.5.4  | All | All | All |
| Application | Oracle | Mysql | 5.5.5  | All | All | All |
| Application | Oracle | Mysql | 5.5.6  | All | All | All |
| Application | Oracle | Mysql | 5.5.7  | All | All | All |
| Application | Oracle | Mysql | 5.5.9  | All | All | All |
| Application | Oracle | Mysql | 5.6.0  | All | All | All |
| Application | Oracle | Mysql | 5.6.1  | All | All | All |
| Application | Oracle | Mysql | 5.6.2  | All | All | All |
| Application | Oracle | Mysql | 5.6.3  | All | All | All |
| Application | Oracle | Mysql | 5.6.4  | All | All | All |
| Application | Oracle | Mysql | 5.6.5  | All | All | All |
| Application | Oracle | Mysql | 5.6.6  | All | All | All |
| Application | Oracle | Mysql | 5.6.7  | All | All | All |
| Application | Oracle | Mysql | 5.6.8  | All | All | All |
| Application | Oracle | Mysql | 5.6.9  | All | All | All |
| Application | Oracle | Mysql | All    | All | All | All |
| Application | Oracle | Mysql | All    | All | All | All |
| Application | Oracle | Mysql | All    | All | All | All |

|                                          |        |                              |     |     |     |     |
|------------------------------------------|--------|------------------------------|-----|-----|-----|-----|
| Operating System                         | Redhat | Enterprise Linux Desktop     | 6.0 | All | All | All |
| Operating System                         | Redhat | Enterprise Linux Eus         | 6.4 | All | All | All |
| Operating System                         | Redhat | Enterprise Linux Server      | 6.0 | All | All | All |
| Operating System                         | Redhat | Enterprise Linux Workstation | 6.0 | All | All | All |
| cpe:2.3:a:mariadb:mariadb:*:*:*:*:*:*:   |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:   |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.23:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.31:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.32:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.34:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.37:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:mysql:mysql:5.1.5:*:*:*:*:*:   |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:*:*:*:*:*:*:      |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1:*:*:*:*:*:    |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.1:*:*:*:*:*:  |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.10:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.11:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.12:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.13:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.14:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.15:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.16:*:*:*:*:*: |        |                              |     |     |     |     |
| cpe:2.3:a:oracle:mysql:5.1.17:*:*:*:*:*: |        |                              |     |     |     |     |

|                                          |
|------------------------------------------|
|                                          |
| cpe:2.3:a:oracle:mysql:5.1.18:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.19:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.2:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.20:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.21:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.22:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.23:a:*****:   |
| cpe:2.3:a:oracle:mysql:5.1.24:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.25:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.26:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.27:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.28:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.29:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.3:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.30:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.31:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.33:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.34:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.35:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.36:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.37:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.38:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.39:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.4:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.40:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.40:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.41:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.42:*****:     |

|                                          |
|------------------------------------------|
| cpe:2.3:a:oracle:mysql:5.1.43:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.43:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.44:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.45:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.46:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.47:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.48:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.49:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.50:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.51:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.53:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.54:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.55:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.56:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.57:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.58:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.59:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.6:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.60:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.61:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.62:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.63:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.64:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.65:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.66:*****:     |

|                                        |
|----------------------------------------|
| cpe:2.3:a:oracle:mysql:5.1.66:*****:   |
| cpe:2.3:a:oracle:mysql:5.1.67:*****:   |
| cpe:2.3:a:oracle:mysql:5.1.7:*****:    |
| cpe:2.3:a:oracle:mysql:5.1.8:*****:    |
| cpe:2.3:a:oracle:mysql:5.1.9:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.0:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.1:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.10:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.11:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.12:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.13:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.14:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.15:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.16:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.17:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.18:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.19:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.2:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.20:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.21:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.22:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.23:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.24:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:a:*****: |
| cpe:2.3:a:oracle:mysql:5.5.26:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.27:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.28:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.29:*****:   |

```
cpe:2.3:a:oracle:mysql:5.5.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.5:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.5.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.0:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.2:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.3:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.4:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.5:*:*:*:*:*:*:
```

cpe:2.3:a:oracle:mysql:5.6.6:\*:\*:\*:\*:\*:\*:

```
cpe:2.3:a:oracle:mysql:5.6.7:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.8:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.6.9:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.1:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.10:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.11:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.12:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.13:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.14:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.15:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.16:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.17:*:*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.18:::*:*:*:*:*:
```

```
cpe:2.3:a:oracle:mysql:5.1.19:*:*:*:*:*:
```

— — — — —

|                                                           |
|-----------------------------------------------------------|
| cpe:2.3:a:oracle:mysql:5.1.2:~::~~::~~::~~::~~::~~::      |
| cpe:2.3:a:oracle:mysql:5.1.20:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.21:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.22:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.23:a:~::~~::~~::~~::~~::~~::   |
| cpe:2.3:a:oracle:mysql:5.1.24:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.25:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.26:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.27:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.28:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.29:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.3:~::~~::~~::~~::~~::~~::      |
| cpe:2.3:a:oracle:mysql:5.1.30:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.31:sp1:~::~~::~~::~~::~~::~~:: |
| cpe:2.3:a:oracle:mysql:5.1.33:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.34:sp1:~::~~::~~::~~::~~::~~:: |
| cpe:2.3:a:oracle:mysql:5.1.35:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.36:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.37:sp1:~::~~::~~::~~::~~::~~:: |
| cpe:2.3:a:oracle:mysql:5.1.38:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.39:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.4:~::~~::~~::~~::~~::~~::      |
| cpe:2.3:a:oracle:mysql:5.1.40:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.40:sp1:~::~~::~~::~~::~~::~~:: |
| cpe:2.3:a:oracle:mysql:5.1.41:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.42:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.43:~::~~::~~::~~::~~::~~::     |
| cpe:2.3:a:oracle:mysql:5.1.43:sp1:~::~~::~~::~~::~~::~~:: |
| cpe:2.3:a:oracle:mysql:5.1.44:~::~~::~~::~~::~~::~~::     |

|                                          |
|------------------------------------------|
| cpe:2.3:a:oracle:mysql:5.1.45:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.46:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.46:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.47:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.48:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.49:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.49:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.50:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.51:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.52:sp1:*****: |
| cpe:2.3:a:oracle:mysql:5.1.53:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.54:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.55:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.56:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.57:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.58:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.59:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.6:*****:      |
| cpe:2.3:a:oracle:mysql:5.1.60:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.61:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.62:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.63:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.64:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.65:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.66:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.67:*****:     |
| cpe:2.3:a:oracle:mysql:5.1.7:*****:      |

|                                        |
|----------------------------------------|
| cpe:2.3:a:oracle:mysql:5.1.8:*****:    |
| cpe:2.3:a:oracle:mysql:5.1.9:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.0:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.1:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.10:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.11:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.12:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.13:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.14:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.15:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.16:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.17:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.18:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.19:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.2:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.20:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.21:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.22:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.23:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.24:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.25:a:*****: |
| cpe:2.3:a:oracle:mysql:5.5.26:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.27:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.28:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.29:*****:   |
| cpe:2.3:a:oracle:mysql:5.5.3:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.4:*****:    |
| cpe:2.3:a:oracle:mysql:5.5.5:*****:    |

|                                                              |
|--------------------------------------------------------------|
| cpe:2.3:a:oracle:mysql:5.5.6:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.5.7:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.5.9:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.0:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.1:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.2:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.3:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.4:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.5:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.6:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.7:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.8:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:5.6.9:*:*:*:*:*:                      |
| cpe:2.3:a:oracle:mysql:*:*:*:*:*:                            |
| cpe:2.3:a:oracle:mysql:*:*:*:*:*:                            |
| cpe:2.3:a:oracle:mysql:*:*:*:*:*:                            |
| cpe:2.3:o:redhat:enterprise_linux_desktop:6.0:*:*:*:*:*:     |
| cpe:2.3:o:redhat:enterprise_linux_eus:6.4:*:*:*:*:*:         |
| cpe:2.3:o:redhat:enterprise_linux_server:6.0:*:*:*:*:*:      |
| cpe:2.3:o:redhat:enterprise_linux_workstation:6.0:*:*:*:*:*: |

No vendor comments have been submitted for this CVE

[← Previous ID](#)

Next ID→