



# CVE-2013-6415

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

## Summary

|                        |                                                                                                                            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>CVE</b>             | CVE-2013-6415                                                                                                              |
| <b>State</b>           | PUBLIC                                                                                                                     |
| <b>Assigner</b>        | secalert@redhat.com                                                                                                        |
| <b>Source Priority</b> | CVE Program / NVD first with legacy fallback                                                                               |
| <b>Published</b>       | 2013-12-07 00:55:00 UTC                                                                                                    |
| <b>Updated</b>         | 2019-08-08 15:42:00 UTC                                                                                                    |
| <b>Description</b>     | Cross-site scripting (XSS) vulnerability in the number_to_currency helper in actionpack/lib/action_view/helpers/number_hel |

## Risk And Classification

### Problem Types: CWE-79

## NVD Known Affected Configurations (CPE 2.3)

| Type        | Vendor                      | Product               | Version | Update | Edition | Language |
|-------------|-----------------------------|-----------------------|---------|--------|---------|----------|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | beta   | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | beta2  | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | beta3  | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | beta4  | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | rc     | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0   | rc2    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.1   | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.1   | pre    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.10  | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.10  | rc1    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.11  | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.12  | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.12  | rc1    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.13  | All    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.13  | rc1    | All     | All      |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.14  | All    | All     | All      |

|             |                             |                       |        |       |     |     |
|-------------|-----------------------------|-----------------------|--------|-------|-----|-----|
|             |                             |                       |        |       |     |     |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.16 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.17 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.18 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.19 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.2  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.2  | pre   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.20 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.3  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.4  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.5  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.5  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8  | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8  | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9  | rc5   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | beta1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc5   | All | All |

|             |                             |                       |        |     |     |     |
|-------------|-----------------------------|-----------------------|--------|-----|-----|-----|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc6 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc7 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0  | rc8 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1  | rc3 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.10 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.3  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.4  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.4  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.5  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.5  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.6  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.7  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.8  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.9  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.1  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.10 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.11 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.12 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.2  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.2  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | rc2 | All | All |

|             |                             |                       |        |       |     |     |
|-------------|-----------------------------|-----------------------|--------|-------|-----|-----|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.4  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.4  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.5  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.6  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.7  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.8  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.9  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.0  | -     | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.0  | beta  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.0  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.0  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.1  | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | beta  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | beta2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | beta3 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | beta4 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | rc    | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.0  | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.1  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.1  | pre   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.10 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.10 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.11 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.12 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.12 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.13 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.13 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.14 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.16 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.17 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.18 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.19 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.2  | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.2  | pre   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.20 | All   | All | All |

|             |                             |                       |       |       |     |     |
|-------------|-----------------------------|-----------------------|-------|-------|-----|-----|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.3 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.4 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.5 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.5 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.6 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.7 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8 | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.8 | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.0.9 | rc5   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | beta1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc3   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc4   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc5   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc6   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc7   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.0 | rc8   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1 | All   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1 | rc1   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1 | rc2   | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.1 | rc3   | All | All |

|             |                             |                       |        |     |     |     |
|-------------|-----------------------------|-----------------------|--------|-----|-----|-----|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.10 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.2  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.3  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.4  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.4  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.5  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.5  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.6  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.7  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.8  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.1.9  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.0  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.1  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.10 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.11 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.12 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.13 | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.2  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.2  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.3  | rc2 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.4  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.4  | rc1 | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.5  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.6  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.7  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.8  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 3.2.9  | All | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a> | 4.0.0  | All | All | All |

|             |                             |                               |        |      |     |     |
|-------------|-----------------------------|-------------------------------|--------|------|-----|-----|
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | 4.0.0  | -    | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | 4.0.0  | beta | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | 4.0.0  | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | 4.0.0  | rc2  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | 4.0.1  | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Rails</a>         | All    | -    | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.0.4  | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.1.11 | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | rc2  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.15 | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.15 | rc2  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.0.4  | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.1.11 | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | All  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.14 | rc2  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.15 | rc1  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | 3.2.15 | rc2  | All | All |
| Application | <a href="#">Rubyonrails</a> | <a href="#">Ruby On Rails</a> | All    | All  | All | All |

| References                                                                   |  |  |         |                                        |            |  |
|------------------------------------------------------------------------------|--|--|---------|----------------------------------------|------------|--|
| Reference                                                                    |  |  | Source  | Link                                   | Tags       |  |
| openSUSE-SU-2013:1907-1: moderate: update for rubygem-actionpack-3_2         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |
| openSUSE-SU-2014:0019-1: moderate: update for rubygem-actionpack-2_3         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |
| Riding Rails: Rails 3.2.16 and 4.0.2 have been released!                     |  |  | CONFIRM | <a href="#">weblog.rubyonrails.org</a> | Patch, Ver |  |
| openSUSE-SU-2013:1906-1: moderate: update for rubygem-actionpack-3_2         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |
| CVE-2013-6415   Puppet                                                       |  |  | CONFIRM | <a href="#">puppet.com</a>             |            |  |
| Red Hat Customer Portal                                                      |  |  | REDHAT  | <a href="#">rhn.redhat.com</a>         |            |  |
| Red Hat Customer Portal                                                      |  |  | REDHAT  | <a href="#">rhn.redhat.com</a>         |            |  |
| openSUSE-SU-2013:1904-1: moderate: update for rubygem-actionpack-3_2         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |
| Red Hat Customer Portal                                                      |  |  | REDHAT  | <a href="#">rhn.redhat.com</a>         |            |  |
| openSUSE-SU-2013:1905-1: moderate: update for rubygem-actionpack-2_3         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |
| Security Advisory SA56093 - SUSE update for rubygem-actionpack-2_3 - Secunia |  |  | SECUNIA | <a href="#">secunia.com</a>            |            |  |
| openSUSE-SU-2014:0009-1: moderate: update for rubygem-actionpack-3_2         |  |  | SUSE    | <a href="#">lists.opensuse.org</a>     |            |  |

|                                                                                      |         |                                                                  |            |
|--------------------------------------------------------------------------------------|---------|------------------------------------------------------------------|------------|
| [ruby-security-ann] 20131203 [CVE-2013-6415] XSS Vulnerability in number_to_currency | MLIST   | <a href="https://groups.google.com">groups.google.com</a>        |            |
| Ruby on Rails 'number_to_currency' Helper Cross Site Scripting Vulnerability         | BID     | <a href="http://www.securityfocus.com">www.securityfocus.com</a> |            |
| Debian -- Security Information -- DSA-2888-1 ruby-actionpack-3.2                     | DEBIAN  | <a href="http://www.debian.org">www.debian.org</a>               |            |
| CVE Program record                                                                   | CVE.ORG | <a href="http://www.cve.org">www.cve.org</a>                     | canonical  |
| NVD vulnerability detail                                                             | NVD     | <a href="http://nvd.nist.gov">nvd.nist.gov</a>                   | canonical, |

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

© [CVE.report](https://cve.report) 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](https://mitre.org) and the authoritative source of CVE content is [MITRE's CVE web site](https://mitre.org/cve). This site includes MITRE data granted under the following [license](https://mitre.org/cve).

**Free CVE JSON API** [cve.report/api](https://cve.report/api)

**CVE.report and Source URL Uptime Status** [status.cve.report](https://status.cve.report)