



Published on: 04/15/2014 12:00:00 AM UTC


Last Modified on: 03/23/2021 11:25:56 PM UTC

CVE-2014-0348

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF 

Certain versions of [Artiva Architect](#) from [Ontariosystems](#) contain the following vulnerability:

The Artiva Agency Single Sign-On (SSO) implementation in Artiva Workstation 1.3.x before 1.3.9, Artiva Rm 3.1 MR7, Artiva Healthcare 5.2 MR5, and Artiva Architect 3.2 MR5, when the domain-name option is enabled, allows remote attackers to login to arbitrary domain accounts by using the corresponding username on a Windows client

CVE-2014-0348 has been assigned by  cert@cert.org to track the vulnerability

CVSS2 Score: 3.5 - LOW

Access Vector	Access Complexity	Authentication
NETWORK	MEDIUM	SINGLE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	NONE	NONE

CVE References

Description	Tags	Link
Vulnerability Note VU#215284 - Artiva Agency Single Sign-On (SSO) feature vulnerability	US Government Resource www.kb.cert.org text/html	 CERT-VN VU#215284

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Ontariosystems	Artiva Architect	3.2	mr5	All	All
Application	Ontariosystems	Artiva Architect	3.2	mr5	All	All
Application	Ontariosystems	Artiva Healthcare	5.2	mr5	All	All
Application	Ontariosystems	Artiva Healthcare	5.2	mr5	All	All
Application	Ontariosystems	Artiva Rm	3.1	mr7	All	All
Application	Ontariosystems	Artiva Rm	3.1	mr7	All	All
Application	Ontariosystems	Artiva Workstation	1.3.0	All	All	All
Application	Ontariosystems	Artiva Workstation	1.3.0	All	All	All
cpe:2.3:a:ontariosystems:artiva_architect:3.2:mr5:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_architect:3.2:mr5:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_healthcare:5.2:mr5:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_healthcare:5.2:mr5:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_rm:3.1:mr7:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_rm:3.1:mr7:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_workstation:1.3.0:*:*:*:*:*:						
cpe:2.3:a:ontariosystems:artiva_workstation:1.3.0:*:*:*:*:*:						

No vendor comments have been submitted for this CVE