



# CVE-2014-6167

Published on: 12/18/2014 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:25:54 PM UTC

## CVE-2014-6167

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [WebSphere Application Server](#) from [Ibm](#) contain the following vulnerability:

Cross-site scripting (XSS) vulnerability in the URL rewriting feature in IBM WebSphere Application Server 7.x before 7.0.0.37, 8.0.x before 8.0.0.10, and 8.5.x before 8.5.5.4 allows remote attackers to inject arbitrary web script or HTML via a crafted URL.

CVE-2014-6167 has been assigned by psirt@us.ibm.com to track the vulnerability

CVSS2 Score: **4.3 - MEDIUM**

Access  
Vector

**NETWORK**

Access  
Complexity

**MEDIUM**

Authentication

**NONE**

Confidentiality  
Impact

**NONE**

Integrity  
Impact

**PARTIAL**

Availability  
Impact

**NONE**

## CVE References

Description

IBM notice: The page you requested cannot be displayed

Tags

[www-01.ibm.com](#)

[text/html](#)

[Inactive Link](#) [Not Archived](#)

Link

[AIXAPAR PI23819](#)

IBM Security Bulletin: Potential Security Vulnerabilities fixed in IBM WebSphere Application Server 8.5.5.4 - United States

[Vendor Advisory](#)

[www-01.ibm.com](#)

[text/html](#)

[CONFIRM www-01.ibm.com/support/docview.wss?uid=swg21690185](#)

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](#)

[text/html](#)

[XF ibm-websphere-cve20146167-xss\(97748\)](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](#).

| There are currently no QIDs associated with this CVE |        |                              |          |        |         |          |
|------------------------------------------------------|--------|------------------------------|----------|--------|---------|----------|
| Known Affected Configurations (CPE V2.3)             |        |                              |          |        |         |          |
| Type                                                 | Vendor | Product                      | Version  | Update | Edition | Language |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.1  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.10 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.11 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.12 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.13 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.14 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.15 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.16 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.17 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.18 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.19 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.2  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.21 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.22 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.23 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.24 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.25 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.27 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.29 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.3  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.31 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.32 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.33 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.34 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.35 | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.4  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.5  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.6  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.7  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.8  | All    | All     | All      |
| Application                                          | IBM    | WebSphere Application Server | 7.0.0.9  | All    | All     | All      |

[illegible]



|                                                            |
|------------------------------------------------------------|
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.13:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.14:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.15:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.16:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.17:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.18:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.19:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.2:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.21:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.22:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.23:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.24:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.25:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.27:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.29:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.3:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.31:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.32:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.33:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.34:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.35:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.4:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.5:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.6:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.7:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.8:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.9:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.0:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.1:*****:  |

|                                                            |
|------------------------------------------------------------|
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.2:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.3:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.4:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.5:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.6:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.7:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.8:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.0.0.9:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.0.0:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.0.1:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.0.2:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.0:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.1:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.2:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.3:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.1:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.10:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.11:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.12:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.13:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.14:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.15:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.16:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.17:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.18:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.19:*****: |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.2:*****:  |
| cpe:2.3:a:ibm:websphere_application_server:7.0.0.21:*****: |

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.22:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.23:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.24:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.25:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.27:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.29:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.3:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.31:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.32:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.33:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.34:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.35:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.4:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.5:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.6:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.7:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.8:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:7.0.0.9:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.0:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.1:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.2:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.3:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.4:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.5:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.6:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.7:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.8:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.0.0.9:\*\*\*\*\*:

cpe:2.3:a:ibm:websphere\_application\_server:8.5.0.0:\*\*\*\*\*:

|                                                               |
|---------------------------------------------------------------|
| cpe:2.3:a:ibm:websphere_application_server:8.5.0.1:*:*:*:*:*: |
| cpe:2.3:a:ibm:websphere_application_server:8.5.0.2:*:*:*:*:*: |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.0:*:*:*:*:*: |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.1:*:*:*:*:*: |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.2:*:*:*:*:*: |
| cpe:2.3:a:ibm:websphere_application_server:8.5.5.3:*:*:*:*:*: |

No vendor comments have been submitted for this CVE

[← Previous ID](#)

[Next ID→](#)