



CVE-2014-6194

Published on: 02/16/2015 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:25:55 PM UTC


CVE-2014-6194

[Source: Mitre](#)

[Source: NIST](#)

[CVE.ORG](#)

[Print: PDF](#)



Certain versions of [Change And Configuration Management Database](#) from [Ibm](#) contain the following vulnerability:

Directory traversal vulnerability in an unspecified web form in IBM Maximo Asset Management 7.1 through 7.1.1.13 and 7.5.0 before 7.5.0.6 IFIX007, Maximo Asset Management 7.5.0 through 7.5.0.3 and 7.5.1 through 7.5.1.2 for SmartCloud Control Desk, and Maximo Asset Management 7.1 through 7.1.1.13 and 7.2 for Tivoli IT Asset

Management for IT and certain other products allows remote authenticated users to read arbitrary files via a .. (dot dot) in a pathname.

CVE-2014-6194 has been assigned by [psirt@us.ibm.com](#) to track the vulnerability

CVSS2 Score: **4 - MEDIUM**

Access Vector

NETWORK

Access Complexity

LOW

Authentication

SINGLE

Confidentiality Impact

PARTIAL

Integrity Impact

NONE

Availability Impact

NONE

CVE References

Description

Tags

Link

IBM X-Force Exchange

[exchange.xforce.ibmcloud.com](#)
[text/html](#)

[XF ibm-maximo-cve20146194-dir-traversal\(98605\)](#)

IBM notice: The page you requested cannot be displayed

[Patch](#)
[Vendor Advisory](#)
[www-01.ibm.com](#)
[text/html](#)

[CONFIRM www-01.ibm.com/support/docview.wss?uid=swg21694035](#)

[Inactive Link](#) [Not Archived](#)

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further,

CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	ibm	Change And Configuration Management Database	7.1	All	All	All
Application	ibm	Change And Configuration Management Database	7.2	All	All	All
Application	ibm	Change And Configuration Management Database	7.1	All	All	All
Application	ibm	Change And Configuration Management Database	7.2	All	All	All
Application	ibm	Maximo Asset Management	7.1	All	All	All
Application	ibm	Maximo Asset Management	7.1.1	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.1	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.10	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.11	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.12	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.13	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.2	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.5	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.6	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.7	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.8	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.9	All	All	All
Application	ibm	Maximo Asset Management	7.1.2	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.0	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.1	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.10	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.2	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.3	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.4	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.5	All	All	All
Application	ibm	Maximo Asset Management	7.5.0.6	All	All	All
Application	ibm	Maximo Asset Management	7.1	All	All	All
Application	ibm	Maximo Asset Management	7.1.1	All	All	All
Application	ibm	Maximo Asset Management	7.1.1.1	All	All	All

Application Vendor Product Version Update Edition Language

Application	IBM	Maximo Asset Management	7.1.1.10	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.11	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.12	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.13	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.2	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.5	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.6	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.7	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.8	All	All	All
Application	IBM	Maximo Asset Management	7.1.1.9	All	All	All
Application	IBM	Maximo Asset Management	7.1.2	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.0	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.1	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.10	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.2	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.3	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.4	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.5	All	All	All
Application	IBM	Maximo Asset Management	7.5.0.6	All	All	All
Application	IBM	Maximo Asset Management Essentials	7.1	All	All	All
Application	IBM	Maximo Asset Management Essentials	7.5.0.0	All	All	All
Application	IBM	Maximo Asset Management Essentials	7.1	All	All	All
Application	IBM	Maximo Asset Management Essentials	7.5.0.0	All	All	All
Application	IBM	Maximo For Government	7.1	All	All	All
Application	IBM	Maximo For Government	7.5.0.0	All	All	All
Application	IBM	Maximo For Government	7.1	All	All	All
Application	IBM	Maximo For Government	7.5.0.0	All	All	All
Application	IBM	Maximo For Life Sciences	7.1	All	All	All
Application	IBM	Maximo For Life Sciences	7.5.0.0	All	All	All
Application	IBM	Maximo For Life Sciences	7.1	All	All	All
Application	IBM	Maximo For Life Sciences	7.5.0.0	All	All	All
Application	IBM	Maximo For Nuclear Power	7.1	All	All	All
Application	IBM	Maximo For Nuclear Power	7.5.0.0	All	All	All
Application	IBM	Maximo For Nuclear Power	7.1	All	All	All
Application	IBM	Maximo For Nuclear Power	7.5.0.0	All	All	All
Application	IBM	Maximo For Oil And Gas	7.1	All	All	All

Application	IBM	Maximo For Oil And Gas	7.5.0.0	All	All	All
Application	IBM	Maximo For Oil And Gas	7.1	All	All	All
Application	IBM	Maximo For Oil And Gas	7.5.0.0	All	All	All
Application	IBM	Maximo For Transportation	7.1	All	All	All
Application	IBM	Maximo For Transportation	7.5.0.0	All	All	All
Application	IBM	Maximo For Transportation	7.1	All	All	All
Application	IBM	Maximo For Transportation	7.5.0.0	All	All	All
Application	IBM	Maximo For Utilities	7.1	All	All	All
Application	IBM	Maximo For Utilities	7.5.0.0	All	All	All
Application	IBM	Maximo For Utilities	7.1	All	All	All
Application	IBM	Maximo For Utilities	7.5.0.0	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.1	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.2	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.3	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.5	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.1.0	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.1.1	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.1	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.2	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.3	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.0.5	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.1.0	All	All	All
Application	IBM	Smartcloud Control Desk	7.5.1.1	All	All	All
Application	IBM	Tivoli Asset Management For It	7.1	All	All	All
Application	IBM	Tivoli Asset Management For It	7.2	All	All	All
Application	IBM	Tivoli Asset Management For It	7.1	All	All	All
Application	IBM	Tivoli Asset Management For It	7.2	All	All	All
Application	IBM	Tivoli Service Request Manager	7.1	All	All	All
Application	IBM	Tivoli Service Request Manager	7.2	All	All	All
Application	IBM	Tivoli Service Request Manager	7.1	All	All	All
Application	IBM	Tivoli Service Request Manager	7.2	All	All	All
cpe:2.3:a:ibm:change_and_configuration_management_database:7.1:*****:*						
cpe:2.3:a:ibm:change_and_configuration_management_database:7.2:*****:*						
cpe:2.3:a:ibm:change_and_configuration_management_database:7.1:*****:*						

```
cpe:2.3:a:ibm:change_and_configuration_management_database:7.2:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.1:::*:*:*:*:*
```

cpe:2.3:a:ibm:maximo asset management:7.1.1:*:*:*:*:*:

cpe:2.3:a:ibm:maximo_asset_management:7.1.1.1.*.*.*.*.*.*.*.*.*.*

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.10:::*:*:*:*.*
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.11:::*:*:*:*.*
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.12:::*:*:*.*.*
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.13:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.2:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.5:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.6:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.7:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.8:*.***.***.*
```

cpe:2.3:a:ibm:maximo asset management:7.1.1.9:*:*:*:*:*:

cpe:2.3:a:ibm:maximo_asset_management:7.1.2:*:*:*:*:*:

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.0:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.1:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.10:::*:*:*.*.*
```

```
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.2:*:*:*:*:*.*
```

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.3:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.4:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo asset management:7.5.0.5:*:*:*:*:*:*
```

cpe:2.3:a:ibm:maximo_asset_management:7.5.0.6:*:*:*:*:*:

```
cpe:2.3:a:ibm:maximo_asset_management:7.1:*:*:*:*:*:*:
```

cpe:2.3:a:ibm:maximo_asset_management:7.1.1.*:*:*:*:*:

```
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.1:*:*:*:*:*:
```

```
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.10:*.~*~*~*~*~*~*
```

```
cpe:2.3:a:ibm:maximo asset management:7.1.1.11:::*:*.*.*.*.*.*.*.*.*
```

```
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.12:*:*:*:*:*:
```

cpe:2.3:a:ibm:maximo_asset_management:7.1.1.13:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.2:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.5:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.6:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.7:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.8:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.1.9:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.1.2:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.1:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.10:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.2:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.3:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.4:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.5:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management:7.5.0.6:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management_essentials:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management_essentials:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management_essentials:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_asset_management_essentials:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_for_government:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_for_government:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_for_government:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_for_government:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_for_life_sciences:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_for_life_sciences:7.5.0.0:****:*:*:
cpe:2.3:a:ibm:maximo_for_life_sciences:7.1:****:*:*:
cpe:2.3:a:ibm:maximo_for_life_sciences:7.5.0.0:****:*:*:

cpe:2.3:a:ibm:maximo_for_nuclear_power:7.1:*****:
cpe:2.3:a:ibm:maximo_for_nuclear_power:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_nuclear_power:7.1:*****:
cpe:2.3:a:ibm:maximo_for_nuclear_power:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_oil_and_gas:7.1:*****:
cpe:2.3:a:ibm:maximo_for_oil_and_gas:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_oil_and_gas:7.1:*****:
cpe:2.3:a:ibm:maximo_for_oil_and_gas:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_transportation:7.1:*****:
cpe:2.3:a:ibm:maximo_for_transportation:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_transportation:7.1:*****:
cpe:2.3:a:ibm:maximo_for_transportation:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_utilities:7.1:*****:
cpe:2.3:a:ibm:maximo_for_utilities:7.5.0.0:*****:
cpe:2.3:a:ibm:maximo_for_utilities:7.1:*****:
cpe:2.3:a:ibm:maximo_for_utilities:7.5.0.0:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.1:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.2:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.3:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.5:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.1.0:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.1.1:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.1:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.2:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.3:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.0.5:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.1.0:*****:
cpe:2.3:a:ibm:smartcloud_control_desk:7.5.1.1:*****:
cpe:2.3:a:ibm:tivoli_asset_management_for_it:7.1:*****:

cpe:2.3:a:ibm:tivoli_asset_management_for_it:7.1:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_asset_management_for_it:7.2:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_asset_management_for_it:7.1:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_asset_management_for_it:7.2:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_service_request_manager:7.1:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_service_request_manager:7.2:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_service_request_manager:7.1:*:*:*:*:*:
cpe:2.3:a:ibm:tivoli_service_request_manager:7.2:*:*:*:*:*:

No vendor comments have been submitted for this CVE

[← Previous ID](#)

Next ID→

© CVE.report 2023 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status status.cve.report