



# CVE-2017-0905

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

## Summary

|                        |                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>CVE</b>             | CVE-2017-0905                                                                                                                      |
| <b>State</b>           | PUBLIC                                                                                                                             |
| <b>Assigner</b>        | support@hackerone.com                                                                                                              |
| <b>Source Priority</b> | CVE Program / NVD first with legacy fallback                                                                                       |
| <b>Published</b>       | 2017-11-13 17:29:00 UTC                                                                                                            |
| <b>Updated</b>         | 2019-10-09 23:21:00 UTC                                                                                                            |
| <b>Description</b>     | The Recurly Client Ruby Library before 2.0.13, 2.1.11, 2.2.5, 2.3.10, 2.4.11, 2.5.4, 2.6.3, 2.7.8, 2.8.2, 2.9.2, 2.10.4, 2.11.3 is |

## Risk And Classification

### Problem Types: CWE-918

## NVD Known Affected Configurations (CPE 2.3)

| Type        | Vendor                  | Product                             | Version | Update | Edition | Language |
|-------------|-------------------------|-------------------------------------|---------|--------|---------|----------|
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.0   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.1   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.10  | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.11  | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.12  | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.2   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.3   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.4   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.5   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.6   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.7   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.8   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.0.9   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.0   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.0   | c      | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.1   | All    | All     | All      |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.10  | All    | All     | All      |

|             |                         |                                     |        |       |     |     |
|-------------|-------------------------|-------------------------------------|--------|-------|-----|-----|
|             |                         |                                     |        |       |     |     |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.2  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.3  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.4  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.5  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.6  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.7  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.8  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.1.9  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.10.0 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.10.1 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.10.2 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.10.3 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.11.0 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.11.1 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.11.2 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.2.0  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.2.1  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.2.2  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.2.3  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.2.4  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.0  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.0  | beta1 | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.1  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.2  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.3  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.4  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.5  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.6  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.7  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.8  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.3.9  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.4.0  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.4.1  | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.4.10 | All   | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.4.2  | All   | All | All |



[illegible]

[illegible]

|             |                         |                                     |       |     |     |     |
|-------------|-------------------------|-------------------------------------|-------|-----|-----|-----|
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.9.0 | All | All | All |
| Application | <a href="#">Recurly</a> | <a href="#">Recurly Client Ruby</a> | 2.9.1 | All | All | All |

| References                                                                             |  |  |         |                                 |                      |  |
|----------------------------------------------------------------------------------------|--|--|---------|---------------------------------|----------------------|--|
| Reference                                                                              |  |  | Source  | Link                            | Tags                 |  |
| HackerOne                                                                              |  |  | MISC    | <a href="#">hackerone.com</a>   | Permissions Required |  |
| Recurly Developer Hub                                                                  |  |  | CONFIRM | <a href="#">dev.recurly.com</a> | Vendor Advisory      |  |
| Fix SSRF vulnerability in Resource#find · recurly/recurly-client-ruby@1bb0284 · GitHub |  |  | CONFIRM | <a href="#">github.com</a>      | Patch, Third Party A |  |
| CVE Program record                                                                     |  |  | CVE.ORG | <a href="#">www.cve.org</a>     | canonical            |  |
| NVD vulnerability detail                                                               |  |  | NVD     | <a href="#">nvd.nist.gov</a>    | canonical, analysis  |  |

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.