



# CVE-2017-15906

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF !\[\]\(e3f8612927870f2e0f9f5989e6dd3064\_img.jpg\)](#)

## Summary

<b>CVE</b>	CVE-2017-15906
<b>State</b>	PUBLIC
<b>Assigner</b>	cve@mitre.org
<b>Source Priority</b>	CVE Program / NVD first with legacy fallback
<b>Published</b>	2017-10-26 03:29:00 UTC
<b>Updated</b>	2022-12-13 12:15:00 UTC
<b>Description</b>	The process_open function in sftp-server.c in OpenSSH before 7.6 does not properly prevent write operations in readonly n

## Risk And Classification

**Problem Types:** CWE-732

## NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	<a href="#">Debian</a>	<a href="#">Debian Linux</a>	8.0	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Active Iq Unified Manager</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Cloud Backup</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Clustered Data Ontap</a>	-	All	All	All
Hardware	<a href="#">Netapp</a>	<a href="#">Cn1610</a>	-	All	All	All
Operating System	<a href="#">Netapp</a>	<a href="#">Cn1610 Firmware</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Data Ontap Edge</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Hci Management Node</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Oncommand Unified Manager Core Package</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Solidfire</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Steelstore Cloud Integrated Storage</a>	-	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Storage Replication Adapter For Clustered Data Ontap</a>	All	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Storage Replication Adapter For Clustered Data Ontap</a>	9.6	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Vasa Provider For Clustered Data Ontap</a>	All	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Vasa Provider For Clustered Data Ontap</a>	All	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Virtual Storage Console</a>	All	All	All	All
Application	<a href="#">Netapp</a>	<a href="#">Virtual Storage Console</a>	9.6	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	All	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.27	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.1.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.3.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9.9p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.2p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.2p1	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.4p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.5p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.0p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.2p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.4p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.7	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4./p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.2	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.3	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.5	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.6	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.7	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.9	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	p2	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.3	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.5	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.5	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.6	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.7	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.8	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.9	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.2	p2	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.3	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.5	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.27	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.2.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	1.5.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.1.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.3.1	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.5.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9.9p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	2.9p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0.2p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.0p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.2p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.2.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.4p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.5p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.6.1p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.7.1p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8.1	All	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.8.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	3.9.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.0p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.1p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.2p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.3p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.4p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.7p1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	4.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.2	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.3	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.5	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.6	p1	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.7	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.8p2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	5.9	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.2	p2	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.3	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.5	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.6	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.6	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.7	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.7	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.8	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.8	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.9	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	6.9	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.0	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.0	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.1	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.1	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.2	p2	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.3	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.3	p1	All	All

Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.4	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.4	p1	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.5	All	All	All
Application	<a href="#">Openbsd</a>	<a href="#">Openssh</a>	7.5	p1	All	All
Application	<a href="#">Oracle</a>	<a href="#">Sun Zfs Storage Appliance Kit</a>	8.8.6	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Desktop</a>	7.0	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Eus</a>	7.6	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Eus</a>	7.7	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Server</a>	7.0	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Server Aus</a>	7.6	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Server Aus</a>	7.7	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Server Tus</a>	7.6	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Server Tus</a>	7.7	All	All	All
Operating System	<a href="#">Redhat</a>	<a href="#">Enterprise Linux Workstation</a>	7.0	All	All	All

## References

Reference	Source	Link
[SECURITY] [DLA 1500-1] openssh security update	MLIST	<a href="https://lists.debian.org">lists.debian.org</a>
OpenSSH 'sftp-server.c' Remote Security Bypass Vulnerability	BID	<a href="https://www.securityfocus.com">www.securityfocus.com</a>
<a href="https://www.openssh.com/txt/release-7.6">www.openssh.com/txt/release-7.6</a>	CONFIRM	<a href="https://www.openssh.com">www.openssh.com</a>
CVE-2017-15906 OpenSSH Vulnerability in NetApp Products   NetApp Product Security	CONFIRM	<a href="https://security.netapp.com">security.netapp.com</a>
<a href="https://cert-portal.siemens.com/productcert/pdf/ssa-412672.pdf">cert-portal.siemens.com/productcert/pdf/ssa-412672.pdf</a>	CONFIRM	<a href="https://cert-portal.siemens.com">cert-portal.siemens.com</a>
Oracle Critical Patch Update Advisory - January 2020	MISC	<a href="https://www.oracle.com">www.oracle.com</a>
OpenSSH: Permission issue (GLSA 201801-05) — Gentoo Security	GENTOO	<a href="https://security.gentoo.org">security.gentoo.org</a>
disallow creation (of empty files) in read-only mode; reported by · openssh/src@a698156 · GitHub	CONFIRM	<a href="https://github.com">github.com</a>
Red Hat Customer Portal	REDHAT	<a href="https://access.redhat.com">access.redhat.com</a>
CVE Program record	CVE.ORG	<a href="https://www.cve.org">www.cve.org</a>
NVD vulnerability detail	NVD	<a href="https://nvd.nist.gov">nvd.nist.gov</a>

No vendor comments have been submitted for this CVE.

## Legacy QID Mappings

[296091](#) Oracle Solaris 11.4 Support Repository Update (SRU) 6.1.4 Missing (CPUJAN2019)

[38905](#) OpenSSH Improper Authorization Vulnerability (CVE-2017-15906)

[500485](#) Alpine Linux Security Update for openssh

[504244](#) Alpine Linux Security Update for openssh

[591280](#) Siemens SCALANCE X-200RNA Switch Devices Denial of Service (DoS) Multiple Vulnerabilities (ICSA-22-349-21, SSA-412672)

[591311](#) Bosch Rexroth PRA-ES8P2S Ethernet-Switch Multiple Vulnerabilities (BOSCH-SA-247053-BT)

[710274](#) Gentoo Linux OpenSSH Permission issue Vulnerability (GLSA 201801-05)

© [CVE.report](#) 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

**CVE.report and Source URL Uptime Status** [status.cve.report](#)