



CVE-2017-2666

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2017-2666
State	PUBLIC
Assigner	secalert@redhat.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2018-07-27 14:29:00 UTC
Updated	2019-10-09 23:27:00 UTC
Description	It was discovered in Undertow that the code that parsed the HTTP request line permitted invalid characters. This could be e

Risk And Classification

Problem Types: CWE-444

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Operating System	Debian	Debian Linux	10.0	All	All	All
Operating System	Debian	Debian Linux	9.0	All	All	All
Operating System	Debian	Debian Linux	10.0	All	All	All
Operating System	Debian	Debian Linux	9.0	All	All	All
Operating System	Redhat	Enterprise Linux	6.0	All	All	All
Operating System	Redhat	Enterprise Linux	7.0	All	All	All
Operating System	Redhat	Enterprise Linux	6.0	All	All	All
Operating System	Redhat	Enterprise Linux	7.0	All	All	All
Application	Redhat	Jboss Enterprise Application Platform	7.0.0	All	All	All
Application	Redhat	Jboss Enterprise Application Platform	7.1.0	All	All	All
Application	Redhat	Jboss Enterprise Application Platform	7.0.0	All	All	All
Application	Redhat	Jboss Enterprise Application Platform	7.1.0	All	All	All
Application	Redhat	Undertow	-	All	All	All
Application	Redhat	Undertow	-	All	All	All

References

Reference

Red Hat Customer Portal
1436163 – (CVE-2017-2666) CVE-2017-2666 undertow: HTTP Request smuggling vulnerability due to permitting invalid characters in HTTP r
Red Hat Customer Portal
Red Hat Customer Portal
Red Hat Customer Portal
Red Hat Customer Portal
Red Hat Customer Portal
Red Hat Customer Portal
Debian -- Security Information -- DSA-3906-1 undertow
Red Hat Customer Portal
Red Hat Undertow CVE-2017-2666 Security Bypass Vulnerability
CVE Program record
NVD vulnerability detail
◀ ▶
No vendor comments have been submitted for this CVE.
Legacy QID Mappings
980987 Java (maven) Security Update for io.undertow:undertow-core (GHSA-mcfm-h73v-635m)