



CVE-2018-17890

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2018-17890
State	PUBLIC
Assigner	ics-cert@hq.dhs.gov
Source Priority	CVE Program / NVD first with legacy fallback
Published	2018-10-12 14:29:00 UTC
Updated	2020-09-18 16:21:00 UTC
Description	NUUO CMS all versions 3.1 and prior, The application uses insecure and outdated software components for functionality, w

Risk And Classification

Problem Types: NVD-CWE-Other

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Nuuu	Nuuu Cms	All	All	All	All

References

Reference	Source	Link	Tags
Malformed Request	BID	www.securityfocus.com	Third Party Advisory, VDB Entry
NUUO CMS (Update A) CISA	MISC	ics-cert.us-cert.gov	Patch, Third Party Advisory, US Government Resource
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)