



CVE-2019-16444

Published on: 12/19/2019 12:00:00 AM UTC

Last Modified on: 09/08/2021 05:22:00 PM UTC

CVE-2019-16444

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Acrobat Dc](#) from [Adobe](#) contain the following vulnerability:

Adobe Acrobat and Reader versions , 2019.021.20056 and earlier, 2017.011.30152 and earlier, 2017.011.30155 and earlier version, 2017.011.30152 and earlier, and 2015.006.30505 and earlier have a binary planting (default folder privilege escalation) vulnerability. Successful exploitation could lead to privilege escalation.

CVE-2019-16444 has been assigned by psirt@adobe.com to track the vulnerability - currently rated as **CRITICAL** severity.

Affected Vendor/Software: Adobe - Adobe Acrobat and Reader version , 2019.021.20056 and earlier, 2017.011.30152 and earlier, 2017.011.30155 and earlier version, 2017.011.30152 and earlier, and 2015.006.30505 and earlier versions

CVSS3 Score: **9.8 - CRITICAL**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	NONE	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVSS2 Score: **7.5 - HIGH**

Access Vector	Access Complexity	Authentication
NETWORK	LOW	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	PARTIAL	PARTIAL

CVE References

Description	Tags	Link
-------------	------	------

Type	Vendor	Product	Version	Update	Edition	Language
Application	Adobe	Acrobat Dc	All	All	All	All
Application	Adobe	Acrobat Dc	All	All	All	All
Application	Adobe	Acrobat Dc	All	All	All	All
Application	Adobe	Acrobat Dc	All	All	All	All
Application	Adobe	Acrobat Reader Dc	All	All	All	All
Application	Adobe	Acrobat Reader Dc	All	All	All	All
Application	Adobe	Acrobat Reader Dc	All	All	All	All
Application	Adobe	Acrobat Reader Dc	All	All	All	All
Operating System	Apple	Macos	-	All	All	All
Operating System	Apple	Mac Os	-	All	All	All
Operating System	Apple	Mac Os	-	All	All	All
Operating System	Microsoft	Windows	-	All	All	All
Operating System	Microsoft	Windows	-	All	All	All
cpe:2.3:a:adobe:acrobat_dc:****:classic:***:						
cpe:2.3:a:adobe:acrobat_dc:****:continuous:***:						
cpe:2.3:a:adobe:acrobat_dc:****:classic:***:						
cpe:2.3:a:adobe:acrobat_dc:****:continuous:***:						
cpe:2.3:a:adobe:acrobat_reader_dc:****:classic:***:						
cpe:2.3:a:adobe:acrobat_reader_dc:****:continuous:***:						
cpe:2.3:a:adobe:acrobat_reader_dc:****:classic:***:						
cpe:2.3:a:adobe:acrobat_reader_dc:****:continuous:***:						

cpe:2.3:o:apple:macos:-:*****:
cpe:2.3:o:apple:mac_os:-:*****:
cpe:2.3:o:apple:mac_os:-:*****:
cpe:2.3:o:microsoft:windows:-:*****:
cpe:2.3:o:microsoft:windows:-:*****:

No vendor comments have been submitted for this CVE

← Previous ID

Next ID→