



CVE-2019-20045

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2019-20045
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	2020-02-14 17:15:00 UTC
Updated	2020-02-25 18:15:00 UTC
Description	The Synergy Systems & Solutions PLC & RTU system has a vulnerability in HUSKY RTU 6049-E70 firmware versions 5.0 &

Risk And Classification

Problem Types: CWE-20

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Hardware	S3india	Husky Rtu 6049-e70	-	All	All	All
Hardware	S3india	Husky Rtu 6049-e70	-	All	All	All
Operating System	S3india	Husky Rtu 6049-e70 Firmware	All	All	All	All

References

Reference	Source	Link	Tags
Synergy Systems & Solutions HUSKY RTU (Update A) CISA	MISC	www.us-cert.gov	Third Party Advisory, US Government Resource
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report