



CVE-2020-14492

Published on: 07/29/2020 12:00:00 AM UTC

Last Modified on: 03/23/2021 11:24:01 PM UTC

CVE-2020-14492 - advisory for ICSMA-20-184-01 OpenClinic GA

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#)

CVSS:31/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:N



Certain versions of [Openclinic Ga](#) from [Openclinic Ga Project](#) contain the following vulnerability:

OpenClinic GA 5.09.02 and 5.89.05b does not properly neutralize user-controllable input, which may allow the execution of malicious code within the user's browser.

CVE-2020-14492 has been assigned by [ics-cert@hq.dhs.gov](#) to track the vulnerability - currently rated as **MEDIUM** severity.

Affected Vendor/Software: [open source](#) - **OpenClinic GA** version = **5.09.02**

Affected Vendor/Software: [open source](#) - **OpenClinic GA** version = **5.89.05b**

Vulnerability Patch/Work Around

OpenClinic GA is aware of these vulnerabilities but has not provided any confirmation of their resolution. Please upgrade to the latest version to ensure you have all current fixes.

CVSS3 Score: **6.1 - MEDIUM**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	NONE	REQUIRED
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
CHANGED	LOW	LOW	NONE

CVSS2 Score: **4.3 - MEDIUM**

Access Vector	Access Complexity	Authentication
NETWORK	MEDIUM	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
NONE	PARTIAL	NONE

NONE

PARTIAL

NONE

CVE References

Description	Tags	Link
OpenClinic GA CISA	Third Party Advisory US Government Resource us-cert.cisa.gov text/html	 MISC us-cert.cisa.gov/ics/advisories/ICSMA-20-184-01

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Openclinic Ga Project	Openclinic Ga	5.09.02	All	All	All
Application	Openclinic Ga Project	Openclinic Ga	5.89.05b	All	All	All
Application	Openclinic Ga Project	Openclinic Ga	5.09.02	All	All	All
Application	Openclinic Ga Project	Openclinic Ga	5.89.05b	All	All	All

cpe:2.3:a:openclinic_ga_project:openclinic_ga:5.09.02:*****:

cpe:2.3:a:openclinic_ga_project:openclinic_ga:5.89.05b:*****:

cpe:2.3:a:openclinic_ga_project:openclinic_ga:5.09.02:*****:

cpe:2.3:a:openclinic_ga_project:openclinic_ga:5.89.05b:*****:

Discovery Credit

Brian D. Hysell reported these vulnerabilities to CISA.

← Previous ID

Next ID →

© CVE.report 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)