



CVE-2020-28212

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2020-28212
State	PUBLIC
Assigner	cybersecurity@schneider-electric.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2020-11-19 22:15:00 UTC
Updated	2022-01-31 19:33:00 UTC
Description	A CWE-307: Improper Restriction of Excessive Authentication Attempts vulnerability exists in PLC Simulator on EcoStruxur

Risk And Classification

Problem Types: CWE-307

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Schneider-electric	Ecostruxure Control Expert	All	All	All	All
Application	Se	Ecostruxure Control Expert	All	All	All	All
Application	Se	Ecostruxure Control Expert	All	All	All	All

References

Reference	Source	Link	Tags
Security Notification - PLC Simulator on EcoStruxure™ Control Expert Schneider Electric	MISC	www.se.com	Patch, Vendor Advis
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

Legacy QID Mappings

[590719](#) Schneider Electric PLC Simulator on EcoStruxure Control Expert and Process Expert Multiple Vulnerabilities (SEVD-2020-315-07)

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)