CVE-2021-23276

MITRE | NVD | CVE.ORG | Print: PDF

Summary

CVE	CVE-2021-23276
State	PUBLIC
Assigner	CybersecurityCOE@eaton.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2021-04-13 19:15:00 UTC
Updated	2021-04-21 15:29:00 UTC
Description	Eaton Intelligent Power Manager (IPM) prior to 1.69 is vulnerable to authenticated SQL injection. A malicious user can send

Risk And Classification

Problem Types: CWE-89

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Eaton	Intelligent Power Manager	All	All	All	All
Application	Eaton	Intelligent Power Manager Virtual Appliance	All	All	All	All
Application	Eaton	Intelligent Power Protector	All	All	All	All

References

Reference	Source	Link	Tags
www.eaton.com/content/dam/eaton/company/news-insights/cybersecurity/securit...	MISC	www.eaton.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

Vendor Comments And Credit

Discovery Credit

LEGACY: Amir Preminger from Claroty research

There are currently no legacy QID mappings associated with this CVE.

© CVE.report 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registred trademarks of The MITRE Corporation and the authoritative source of CVE content is MITRE's CVE web site. This site includes MITRE data granted under the following license.

CVE.report and Source URL Uptime Status status.cve.report