



CVE-2021-23281

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2021-23281
State	PUBLIC
Assigner	CybersecurityCOE@eaton.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2021-04-13 19:15:00 UTC
Updated	2021-04-20 17:55:00 UTC
Description	Eaton Intelligent Power Manager (IPM) prior to 1.69 is vulnerable to unauthenticated remote code execution vulnerability. If

Risk And Classification

Problem Types: CWE-94

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Eaton	Intelligent Power Manager	All	All	All	All

References

Reference	Source	Link	Tags
www.eaton.com/content/dam/eaton/company/news-insights/cybersecurity/securit...	MISC	www.eaton.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

Vendor Comments And Credit

Discovery Credit

LEGACY: Amir Preminger from Claroty research

There are currently no legacy QID mappings associated with this CVE.

consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)