



CVE-2021-24891

Published on: 11/23/2021 12:00:00 AM UTC


Last Modified on: 11/29/2021 02:46:00 PM UTC

CVE-2021-24891

[Source: Mitre](#)

[Source: Nist](#)

[Print: PDF](#)



Certain versions of [Website Builder](#) from [Elementor](#) contain the following vulnerability:

The Elementor Website Builder WordPress plugin before 3.1.4 does not sanitise or escape user input appended to the DOM via a malicious hash, resulting in a DOM Cross-Site Scripting issue

CVE-2021-24891 has been assigned by contact@wpscan.com to track the vulnerability - currently rated as **MEDIUM** severity.

Affected Vendor/Software: **Unknown - Elementor Website Builder** version < 3.1.4

CVSS3 Score: **6.1 - MEDIUM**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	NONE	REQUIRED
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
CHANGED	LOW	LOW	NONE

CVSS2 Score: **4.3 - MEDIUM**

Access Vector	Access Complexity	Authentication
NETWORK	MEDIUM	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
NONE	PARTIAL	NONE

CVE References

Description	Tags	Link
Joel Beleña Cybersecurity	www.jbelamor.com text/html	MISC www.jbelamor.com/xss-elementor-lighttox.html

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Elementor	Website Builder	All	All	All	All

cpe:2.3:a:elementor:website_builder:*:*:*:*:wordpress:*:*:

Discovery Credit

Joel

Social Mentions

Source	Title	Posted (UTC)
@LinInfoSec	Wordpress - CVE-2021-24891: wpscan.com/vulnerability/...	2021-11-23 21:36:18

← Previous ID

Next ID →

© CVE.report 2021 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)