



CVE-2021-36705

Published on: 08/06/2021 12:00:00 AM UTC

Last Modified on: 06/28/2022 02:11:00 PM UTC

CVE-2021-36705

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#) 

Certain versions of [Prc2402m](#) from [Prolink](#) contain the following vulnerability:

In ProLink PRC2402M V1.0.18 and older, the set_TR069 function in the adm.cgi binary, accessible with a page parameter value of TR069 contains a trivial command injection where the value of the TR069_local_port parameter is passed directly to system.

CVE-2021-36705 has been assigned by [M](#) cve@mitre.org to track the vulnerability - currently rated as **CRITICAL** severity.

CVSS3 Score: **9.8 - CRITICAL**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	NONE	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVSS2 Score: **7.5 - HIGH**

Access Vector	Access Complexity	Authentication
NETWORK	LOW	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	PARTIAL	PARTIAL

CVE References

Description	Tags	Link
ProLink PRC2402M V1.0.18 Multiple Vulnerabilities Ayrx's Blog	www.ayrx.me text/html	Ay MISC www.ayrx.me/prolink-prc2402m-multiple-vulnerabilities/#tr069-command-injection

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that

are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Hardware 	Prolink	Prc2402m	-	All	All	All
Operating System	Prolink	Prc2402m Firmware	All	All	All	All
cpe:2.3:h:prolink:prc2402m:-:*:*:*:*:*:						
cpe:2.3:o:prolink:prc2402m_firmware:*:*:*:*:*:						

No vendor comments have been submitted for this CVE

Social Mentions

Source	Title	Posted (UTC)
 @CVEreport	CVE-2021-36705 : In ProLink PRC2402M V1.0.18 and older, the set_TR069 function in the adm.cgi binary, accessible wi... twitter.com/i/web/status/1...	2021-08-06 14:03:45
 @threatmeter	CVE-2021-36705 In ProLink PRC2402M V1.0.18 and older, the set_TR069 function in the adm.cgi binary, accessible with... twitter.com/i/web/status/1...	2021-08-07 07:13:57

[← Previous ID](#)

[Next ID →](#)

© [CVE.report](#) 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)