



CVE-2021-37176

Published on: 09/14/2021 12:00:00 AM UTC


Last Modified on: 09/23/2021 06:44:00 PM UTC

CVE-2021-37176

Source: Mitre

Source: Nist

Print: PDF



Certain versions of [Simcenter Femap](#) from [Siemens](#) contain the following vulnerability:

A vulnerability has been identified in Simcenter Femap V2020.2 (All versions), Simcenter Femap V2021.1 (All versions). The femap.exe application lacks proper validation of user-supplied data when parsing modfem files. This could result in an out of bounds read past the end of an allocated buffer. An attacker could leverage this vulnerability to leak information in the context of the current process. (ZDI-CAN-14260)

CVE-2021-37176 has been assigned by [S](#) productcert@siemens.com to track the vulnerability - currently rated as **LOW** severity.

Affected Vendor/Software: [S](#) **Siemens** - **Simcenter Femap V2020.2** version **All versions**

Affected Vendor/Software: [S](#) **Siemens** - **Simcenter Femap V2021.1** version **All versions**



CVSS3 Score: **3.3 - LOW**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
LOCAL	LOW	NONE	REQUIRED
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	LOW	NONE	NONE

CVSS2 Score: **4.3 - MEDIUM**

Access Vector	Access Complexity	Authentication
NETWORK	MEDIUM	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	NONE	NONE

CVE References

Description	Tags	Link
ZDI-21-1073 Zero Day Initiative	www.zerodayinitiative.com text/html	 MISC www.zerodayinitiative.com/advisories/ZDI-21-1073/
	cert-portal.siemens.com application/pdf	 MISC cert-portal.siemens.com/productcert/pdf/ssa-997732.pdf

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Siemens	Simcenter Femap	2020.2	-	All	All
Application	Siemens	Simcenter Femap	2021.1	-	All	All

cpe:2.3:a:siemens:simcenter_femap:2020.2:-:*:*:*:*:*:

cpe:2.3:a:siemens:simcenter_femap:2021.1:-:*:*:*:*:*:

No vendor comments have been submitted for this CVE

Social Mentions

Source	Title	Posted (UTC)
 @CVEreport	CVE-2021-37176 : A vulnerability has been identified in Simcenter Femap V2020.2 All versions , Simcenter Femap V20... twitter.com/i/web/status/1...	2021-09-14 10:59:02

[← Previous ID](#)

[Next ID →](#)

© CVE.report 2021   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)