



CVE-2021-46160


Published on: Not Yet Published

Last Modified on: 02/28/2022 03:36:00 PM UTC

CVE-2021-46160

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#)

CVSS:31/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H



Certain versions of [Simcenter Femap](#) from [Siemens](#) contain the following vulnerability:

A vulnerability has been identified in Simcenter Femap V2020.2 (All versions), Simcenter Femap V2021.1 (All versions). Affected application contains an out of bounds write past the end of an allocated structure while parsing specially crafted NEU files. This could allow an attacker to execute code in the context of the current process. (ZDI-CAN-15286)

CVE-2021-46160 has been assigned by [S](#) productcert@siemens.com to track the vulnerability - currently rated as **HIGH** severity.

Affected Vendor/Software: [S](#) **Siemens** - **Simcenter Femap V2020.2** version **All versions**

Affected Vendor/Software: [S](#) **Siemens** - **Simcenter Femap V2021.1** version **All versions**

CVSS3 Score: **7.8 - HIGH**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
LOCAL	LOW	NONE	REQUIRED
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVSS2 Score: **6.8 - MEDIUM**

Access Vector	Access Complexity	Authentication
NETWORK	MEDIUM	NONE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	PARTIAL	PARTIAL

CVE References

Description	Tags	Link				
	cert-portal.siemens.com application/pdf	MISC cert-portal.siemens.com/productcert/pdf/ssa-609880.pdf				
ZDI-22-315 Zero Day Initiative	www.zerodayinitiative.com text/html	MISC www.zerodayinitiative.com/advisories/ZDI-22-315/				
By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.						
There are currently no QIDs associated with this CVE						
Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Siemens	Simcenter Femap	2020.2	-	All	All
Application	Siemens	Simcenter Femap	2020.2	maintenance_pack1	All	All
Application	Siemens	Simcenter Femap	2020.2	maintenance_pack2	All	All
Application	Siemens	Simcenter Femap	2020.2	maintenance_pack3	All	All
Application	Siemens	Simcenter Femap	2021.1	-	All	All
Application	Siemens	Simcenter Femap	2021.1	maintenance_pack1	All	All
Application	Siemens	Simcenter Femap	2021.1	maintenance_pack2	All	All
Application	Siemens	Simcenter Femap	2021.1	maintenance_pack3	All	All
cpe:2.3:a:siemens:simcenter_femap:2020.2:-:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2020.2:maintenance_pack1:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2020.2:maintenance_pack2:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2020.2:maintenance_pack3:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2021.1:-:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2021.1:maintenance_pack1:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2021.1:maintenance_pack2:~::~::~::~::~::~::~:::						
cpe:2.3:a:siemens:simcenter_femap:2021.1:maintenance_pack3:~::~::~::~::~::~::~:::						
No vendor comments have been submitted for this CVE						
Social Mentions						
Source	Title					Posted (UTC)
@CVEreport	CVE-2021-46160 : A vulnerability has been identified in Simcenter Femap V2020.2 All versions ,					2022-02-09



CVE-2021-46160

2022-02-09
16:39:33[← Previous ID](#)[Next ID→](#)© [CVE.report](#) 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)