



CVE-2022-1522

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2022-1522
State	PUBLIC
Assigner	ics-cert@hq.dhs.gov
Source Priority	CVE Program / NVD first with legacy fallback
Published	2022-09-06 23:15:00 UTC
Updated	2022-09-12 14:00:00 UTC
Description	The Cognex 3D-A1000 Dimensioning System in firmware version 1.0.3 (3354) and prior is vulnerable to CWE-117: Imprope

Risk And Classification

Problem Types: CWE-117

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Hardware	Cognex	3d-a1000 Dimensioning System	-	All	All	All
Operating System	Cognex	3d-a1000 Dimensioning System Firmware	All	All	All	All

References

Reference	Source	Link	Tags
Cognex 3D-A1000 Dimensioning System CISA	MISC	www.cisa.gov	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

Vendor Comments And Credit

Discovery Credit

LEGACY: Tri Quach, Shanil Prasad, Brandon Park, and Nishith Sinha reported these vulnerabilities to CISA.

There are currently no legacy QID mappings associated with this CVE.

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report