




CVE-2022-1838

Published on: Not Yet Published

Last Modified on: 06/02/2022 07:43:00 PM UTC

CVE-2022-1838

[Source: Mitre](#)[Source: NIST](#)[CVE.ORG](#)[Print: PDF](#)

Certain versions of [Home Clean Services Management System](#) from [Home Clean Services Management System Project](#) contain the following vulnerability:

A vulnerability classified as critical has been found in Home Clean Services Management System 1.0. This affects an unknown part of admin/login.php. The manipulation of the argument username with the input

admin%/'**/AND/**/(SELECT/**/5383/**/FROM/**/(SELECT(SLEEP(5)))JPeh)/**/AND/**/'frfq%': leads to sql injection. It is possible to initiate the attack remotely but it requires authentication. Exploit details have been disclosed to the public.

CVE-2022-1838 has been assigned by [cna@vuldb.com](#) to track the vulnerability - currently rated as **HIGH** severity.

CVSS3 Score: **7.2 - HIGH**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	HIGH	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVSS2 Score: **6.5 - MEDIUM**

Access Vector	Access Complexity	Authentication
NETWORK	LOW	SINGLE
Confidentiality Impact	Integrity Impact	Availability Impact
PARTIAL	PARTIAL	PARTIAL

CVE References

Description

Tags

Link

Login required

vuldb.com

text/html

Inactive Link

Not Archived

MISC

vuldb.com/?id.200583

webray.com.cn/HCS_admin_SQL_Inject.md at main · Xor-Gerke/webray.com.cn · GitHub

github.com

text/html

MISC

github.com/Xor-Gerke/webray.com.cn/blob/main/cve/Home%20Clean%20Services

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

There are currently no QIDs associated with this CVE

Known Affected Configurations (CPE V2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Home Clean Services Management System Project	Home Clean Services Management System	1.0	All	All	All

cpe:2.3:a:home_clean_services_management_system_project:home_clean_services_management_system:1.0:*:*:*:*:*:

No vendor comments have been submitted for this CVE

Social Mentions

Source	Title	Posted (UTC)
✖ @CVEreport	CVE-2022-1838 : A vulnerability classified as critical has been found in Home Clean Services Management System 1.0.... twitter.com/i/web/status/1...	2022-05-24 05:28:52
✖ @phpadvisories	CVE-2022-1838 Home Clean Services Management System 1.0 admin/login.php username SQL Injection zpr.io/mnVWAYArk9Q7 #phpsec	2022-05-24 08:21:36
✖ @LinInfoSec	Php - CVE-2022-1838: vuldb.com/?id.200583	2022-05-24 11:01:06
👍 /r/netcve	CVE-2022-1838	2022-05-24 06:38:11

← Previous ID

Next ID→