



CVE-2022-24396

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2022-24396
State	PUBLIC
Assigner	cna@sap.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2022-03-10 17:46:00 UTC
Updated	2023-11-07 03:44:00 UTC
Description	The Simple Diagnostics Agent - versions 1.0 up to version 1.57, does not perform any authentication checks for functionalit

Risk And Classification

Problem Types: CWE-306

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Sap	Simple Diagnostics Agent	All	All	All	All

References

Reference

Digital Library

SAP FRUN Simple Diagnostics Agent 1.0 Missing Authentication ≈ Packet Storm

Full Disclosure: # Onapsis Security Advisory 2022-0004: Missing Authentication check in SAP Focused Run (Simple Diagnostics Agent 1.0)

launchpad.support.sap.com

CVE Program record

NVD vulnerability detail

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)