



CVE-2022-28417

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2022-28417
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	2022-04-21 20:15:00 UTC
Updated	2022-04-29 01:12:00 UTC
Description	Home Owners Collection Management System v1.0 was discovered to contain a SQL injection vulnerability via /hocms/clas

Risk And Classification

Problem Types: CWE-89

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update
Application	Home Owners Collection Management System Project	Home Owners Collection Management System	1.0	All

References

Reference	Source	Link	Tags
bug_report/SQLi-4.md at main · k0xx11/bug_report · GitHub	MISC	github.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

© [CVE.report](#) 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web](#)

[site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status status.cve.report